



Office
of Water

Draft Water Sharing Plan Gwydir Unregulated and Alluvial Water Sources Order

FOR PUBLIC
EXHIBITION

Publisher

NSW Office of Water

Level 18, 227 Elizabeth Street

GPO Box 3889

Sydney NSW 2001

T 02 8281 7777 F 02 8281 7799

information@water.nsw.gov.au

www.water.nsw.gov.au

The Office of Water manages the policy and regulatory frameworks for the State's surface water and groundwater resources to provide a secure and sustainable water supply for all users. The Office of Water also supports water utilities in the provision of water and sewerage services throughout New South Wales.

Draft Water Sharing Plan – Gwydir Unregulated and Alluvial Water Sources – Order

August 2011

ISBN 978 1 74263 197 4

© State of New South Wales through the Department of Trade and Investment, Regional Infrastructure and Services, 2011

This material may be reproduced in whole or in part for educational and non-commercial use, providing the meaning is unchanged and its source, publisher and authorship are clearly and correctly acknowledged.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of publication, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

MINISTER'S FOREWORD

I am pleased to place on public display the NSW Government's draft *Water Sharing Plan for the Gwydir Unregulated and Alluvial Water Sources*.

Water is a key natural resource, vital for the health and survival of our native flora and fauna. It is essential for basic human needs and agricultural production, as well as for recreational and aesthetic purposes.

Commencing a NSW water sharing plan will be a significant step for the future management of the unregulated rivers and alluvial groundwater within the Gwydir River catchment.

More than 50 water sharing plans have already commenced in NSW, bringing water sources under the management and licensing provisions of the *Water Management Act 2000*, now accounting for over 90 per cent of water extracted in the state.

These plans protect the health of our water sources while also providing water users with access licences, equitable conditions, and increased opportunities to trade water through separation of land and water. This plan will also provide a benchmark against which any changes under the Commonwealth's proposed Murray-Darling Basin Plan may be assessed.

Once finalised, this plan will be legally binding for 10 years, and will provide clearly defined access rights, security and certainty for all water users, including agriculture, town water supply and the environment.

The NSW Government is committed to achieving a balanced approach to water management, ensuring the sustainability of the water sources covered by this plan, its key environmental assets and the economic prosperity of the communities they support.

The draft plan was developed by an Interagency Regional Panel, comprising staff from a broad range of agencies, and proposes a number of new provisions. It builds on the work done by the Gwydir Water Management Committee during the first round of water sharing plans.

While some briefing sessions on the draft plan have already occurred with a number of the key stakeholder groups, further public comment is very important to this process.

Consulting with the community is essential to ensuring appropriate management rules are developed in the final plan. I therefore seek your comments during this period of exhibition.

I am confident the draft plan will benefit from community input. The plan will be on public exhibition for a minimum of 40 days. Submission forms and further information are available from www.water.nsw.gov.au or by contacting the NSW Office of Water.

Following consideration of all submissions by the Interagency Regional Panel, the final water sharing plan is due to commence in 2012.

To obtain the best outcome for all, it is important that water management is a shared, community-driven process. I look forward to receiving your comments on this draft plan.



Katrina Hodgkinson MP
Minister for Primary Industries

Contents

| | | |
|---------|---|-----------|
| Part 1 | Introduction | 1 |
| Part 2 | Vision, objectives, strategies and performance indicators | 8 |
| Part 3 | Bulk access regime..... | 11 |
| Part 4 | Planned environmental water provisions | 13 |
| Part 5 | Requirements for water | 16 |
| | Division 1 General | 16 |
| | Division 2 Requirements for water for basic landholder rights | 16 |
| | Division 3 Requirements for water for extraction under access licences | 18 |
| Part 6 | Limits to the availability of water | 22 |
| | Division 1 Long-term average annual extraction limit | 22 |
| | Division 2 Available water determinations | 27 |
| Part 7 | Rules for granting access licences..... | 31 |
| Part 8 | Rules for managing access licences | 32 |
| | Division 1 Water allocation account management rules | 32 |
| | Division 2 Flow classes and daily access rules..... | 34 |
| Part 9 | Rules for water supply work approvals..... | 40 |
| | Division 1 Rules applying to water supply works that take surface water.... | 40 |
| | Division 2 Rules applying to water supply works that take water from the Upper Gwydir Alluvial Groundwater Source..... | 41 |
| Part 10 | Access licence dealing rules..... | 49 |
| Part 11 | Mandatory conditions..... | 55 |
| | Division 1 General | 55 |
| | Division 2 Access licences..... | 55 |
| | Division 3 Water supply work approvals | 57 |
| Part 12 | Amendment of this Plan..... | 63 |
| | Schedule 1 Sections of water courses to which this Plan does not apply | 68 |
| | Schedule 2 Dictionary | 69 |
| | Schedule 3 Access licences used to take surface water exempt from cease to pump rules..... | 71 |

| | | |
|-------------------|--|-----------|
| Schedule 4 | Significant Identified Lagoons and Wetlands | 72 |
| Schedule 5 | Upland Wetlands of the Drainage Divide of the New England Tablelands Bioregion Endangered Ecological Community..... | 75 |
| Schedule 6 | Contamination in these water sources | 76 |
| Schedule 7 | High priority groundwater dependent ecosystems..... | 77 |
| Appendix 1 | Overview of the Registered Map..... | 78 |
| Appendix 2 | Inspection of Registered Map..... | 79 |

Water Sharing Plan for the Gwydir Unregulated and Alluvial Water Sources 2012

Part 1 Introduction

Note. Part 12 allows for amendments to be made to Part 1.

1 Name of this Plan

This Plan is the *Water Sharing Plan for the Gwydir Unregulated and Alluvial Water Sources 2012* (hereafter **this Plan**).

2 Nature and status of this Plan

- (1) This Plan is made under section 50 of the *Water Management Act 2000* (hereafter **the Act**).
- (2) This Plan is a plan for water sharing and generally deals with the matters set out in sections 20 and 21 of the Act, as well as other sections of the Act.

Note. Where a provision of this Plan is made under another section of the Act, the section is referred to in notes to this Plan.

3 Commencement of this Plan

This Plan commences on XX February 2012.

Notes.

- 1 In accordance with section 43 of the Act, this Plan will have effect for 10 years from 1 July 2012.
- 2 The Minister may extend this Plan for a further period of 10 years after it is due to expire, in accordance with section 43A of the Act.

4 Application of this Plan

- (1) This Plan applies to the following water sources (hereafter **these water sources**) within the Gwydir Water Management Area:
 - (a) Gwydir Unregulated River Water Sources comprised of:
 - (i) Roumalla Creek Water Source,
 - (ii) Rocky River Water Source,

- (iii) Boorolong Creek Water Source,
- (iv) Upper Gwydir River Water Source,
- (v) Laura Creek Water Source,
- (vi) Bakers Creek Water Source,
- (vii) Georges Creek Water Source,
- (viii) Moredun Creek Water Source,
- (ix) Keera Creek Water Source,
- (x) Copeton Dam Water Source,
- (xi) Halls Creek Water Source,
- (xii) Mackenzies Flat Water Source,
- (xiii) Myall Creek Water Source,
- (xiv) Gurley Creek Water Source,
- (xv) Tycannah Creek Water Source,
- (xvi) Warialda Creek Water Source,
- (xvii) Millie Creek Water Source,
- (xviii) Slaughterhouse Creek Water Source,
- (xix) Mosquito Creek Water Source,
- (xx) Moree Water Source,
- (xxi) Gil Gil Creek Water Source,
- (xxii) Thalaba Creek Water Source,
- (xxiii) Mehi River Water Source,
- (xxiv) Gwydir Water Source,
- (xxv) Carole Creek Water Source,

Note. Carole Creek itself is regulated and water sharing rules in this Creek is

detailed in the *Water Sharing Plan for the Gwydir Regulated River Water Source 2002*.

(xxvi) Gingham Watercourse Water Source, and

(xxvii) Barwon Water Source,

(b) the Upper Gwydir Alluvial Groundwater Source.

Note. The Gwydir Water Management Area was constituted by Ministerial order made under section 11 of the *Water Management Act 2000* published in the NSW Government Gazette No 180 on 23 November 2001 at page 9389.

(2) These water sources are shown on the registered map called The Gwydir Unregulated and Alluvial Water Sources held by the NSW Office of Water, hereafter the ***Registered Map***.

Note. An overview of the Registered Map is shown in Appendix 1. Copies of the Registered Map may be inspected at the offices listed in Appendix 2.

(3) Subject to subclause (5), the Gwydir Unregulated River Water Sources include all water:

(a) occurring naturally on the surface of the ground shown on the Registered Map, and

(b) in rivers, lakes, estuaries and wetlands in these water sources.

(4) Subject to subclause (5), the Upper Gwydir Alluvial Groundwater Source includes all water contained within the alluvial sediments below the surface of the ground shown within the groundwater source boundaries shown on the Registered Map.

(5) These water sources do not include water:

(a) contained in any fractured rocks or porous rocks,

(b) contained between the banks of rivers declared to be regulated within the Gwydir Regulated River Water Source as defined in the *Water Sharing Plan for the Gwydir Regulated River Water Source 2002*,

(c) contained in the sections specified in Column 2 of Schedule 1 of the respective water courses specified in Column 1 of Schedule 1, and

Note. The sections of water courses specified in Schedule 1 are to be included in the *Water Sharing Plan for the Barwon-Darling Unregulated and Alluvial Water Sources 2011*.

(d) taken under a floodplain harvesting access licence with a share component that does not specify one of these water sources.

5 Management Zones

- (1) For the purposes of this Plan, the following water sources are divided into the following management zones:
 - (a) Upper Gwydir River Water Source:
 - (i) Gwydir River Management Zone, and
 - (ii) Upper Gwydir River Tributaries Management Zone,
 - (b) Moredun Creek Water Source:
 - (i) Gwydir River Management Zone, and
 - (ii) Moredun Creek and Tributaries Management Zone,
 - (c) Copeton Dam Water Source:
 - (i) Gwydir River and Copes Creek Management Zone, and
 - (ii) Copeton Tributaries Management Zone,
 - (d) Halls Creek Water Source:
 - (i) Halls Creek Management Zone, and
 - (ii) Halls Creek Tributaries Management Zone,
 - (e) Mehi River Water Source:
 - (i) Mallowa Creek Management Zone, and
 - (ii) Mehi River Tributaries Management Zone,
 - (f) Gwydir Water Source:
 - (i) Upper Big Leather Management Zone, which only includes the section of the Gwydir River above the western boundary of Old Dromana (-29° 19' 52'' 149° 15' 58''),
 - (ii) Lower Big Leather Management Zone, which only includes the section of the Gwydir River below the western boundary of Old Dromana (-29° 19' 52'' 149° 15' 58''), and

(iii) Lower Gwydir River Anabranh Management Zone, which does not include the Gwydir River.

(2) Management zones in subclause (1) are shown on the Registered Map.

6 Extraction management unit in these water sources

(1) The extraction management unit in which this Plan applies is known as the Gwydir Unregulated Rivers Extraction Management Unit (hereafter *the EMU*), which includes the water sources specified in Column 2 of Table A.

(2) The EMU is shown on the Registered Map.

Notes.

- 1 A long-term average annual extraction limit is established in Part 6 of this Plan for the EMU. The long-term average annual extraction limit determines the maximum volume of water that may be extracted under access licences from all water sources within the extraction management unit on a long-term average annual basis.
- 2 The EMU and any water source to which the EMU applies may be amended as provided for in Part 12 of this Plan.

Table A–Extraction Management Unit

| Column 1–Extraction Management Unit | Column 2–Water Sources |
|---|---|
| Gwydir Unregulated Rivers Extraction Management Unit | Roumalla Creek Water Source Rocky River Water Source Boorolong Creek Water Source Upper Gwydir River Water Source Laura Creek Water Source Bakers Creek Water Source Georges Creek Water Source Moredun Creek Water Source Keera Creek Water Source Copeton Dam Water Source Halls Creek Water Source Mackenzies Flat Water Source Myall Creek Water Source Gurley Creek Water Source Tycannah Creek Water Source Warialda Creek Water Source Millie Creek Water Source Slaughterhouse Creek Water Source Mosquito Creek Water Source Moree Water Source Gil Gil Creek Water Source |

| Column 1–Extraction Management Unit | Column 2–Water Sources |
|-------------------------------------|---|
| | <p>Thalaba Creek Water Source</p> <p>Mehi River Water Source</p> <p>Gwydir Water Source</p> <p>Carole Creek Water Source</p> <p>Gingham Watercourse Water Source</p> <p>Barwon Water Source</p> |

Note. The Gwydir Unregulated Rivers Extraction Management Unit also includes the Rocky Creek Water Source, the Cobbadah Water Source, the Upper Horton Water Source and the Lower Horton Water Source as defined in the *Water Sharing Plan for the Rocky Creek, Cobbadah, Upper Horton and Lower Horton Water Source 2003*.

7 Understanding the rules in this Plan

This Plan contains various rules. Where appropriate, rules specified in this Plan are given effect by mandatory conditions for access licences and approvals contained in Part 11 of this Plan.

Note. The rules in this Plan include environmental water rules, access licence dealing rules,, rules for granting and managing access licences, rules for water supply work approvals, rules for the making of available water determinations, water allocation account rules and daily access rules.

8 Interpretation

- (1) Words and expressions that are defined in the Dictionary in Schedule 2 to this Plan have the meaning set out in that Schedule.
- (2) Unless otherwise defined in this Plan, words and expressions that are defined in the Act or in the *Water Management (General) Regulation 2004* (hereafter ***the Regulation***) have the same meaning in this Plan.
- (3) Unless otherwise specified in this Plan, a clause that applies to a category of access licence also applies to any subcategories of that category of access licence.
- (4) Schedules to this Plan form part of this Plan.
- (5) Notes in the text of this Plan do not form part of this Plan.
- (6) Appendices to this Plan do not form part of this Plan.

Part 2 Vision, objectives, strategies and performance indicators

Note. This Part is made in accordance with section 35 (1) of the Act.

9 Vision statement

The vision of this Plan is to provide for healthy and enhanced water sources and water dependent ecosystems and for equitable water sharing among users in these water sources.

10 Objectives

The objectives of this Plan are to:

- (a) protect, preserve, maintain and enhance the important river flow dependent and high priority groundwater dependent ecosystems of these water sources,
- (b) protect, preserve, maintain and enhance the Aboriginal, cultural and heritage values of these water sources,
- (c) protect basic landholder rights,
- (d) manage these water sources to ensure equitable sharing between users,
- (e) provide opportunities for enhanced market based trading of access licences and water allocations within environmental and system constraints,
- (f) provide water allocation account management rules which allow sufficient flexibility to encourage responsible use of available water,
- (g) contribute to the maintenance of water quality,
- (h) provide recognition of the connectivity between surface water and groundwater,
- (i) adaptively manage these water sources, and
- (j) contribute to the environmental and other public benefit outcomes identified under the Water Access Entitlements and Planning Framework in the *Intergovernmental Agreement on a National Water Initiative (2004)* (hereafter *the NWI*).

Note. Under the NWI, water that is provided by NSW to meet agreed environmental and other public benefit outcomes as defined within relevant water plans is to:

- (i) be given statutory recognition and have at least the same degree of security as

water access entitlements for consumptive use and be fully accounted for,

- (ii) be defined as the water management arrangements required to meet the outcomes sought, including water provided on a rules basis or held as a water access entitlement, and
- (iii) if held as a water access entitlement, may be made available to be traded (where physically possible) on the temporary market, when not required to meet the environmental and other public benefit outcomes sought and provided such trading is not in conflict with these outcomes.

11 Strategies

The strategies of this Plan are to:

- (a) establish environmental water rules,
- (b) identify water requirements for basic landholder rights,
- (c) identify water requirements for access licences,
- (d) establish rules for the granting of access licences and approvals,
- (e) establish rules that place limits on the availability of water for extraction,
- (f) establish rules for making available water determinations,
- (g) establish rules for the operation of water accounts,
- (h) establish rules which specify the circumstances under which water may be extracted,
- (i) establish access licence dealing rules,
- (j) establish performance indicators, and
- (k) identify triggers for and limits to changes to the rules in this Plan.

12 Performance indicators

The following indicators are to be used to measure the success of the strategies to reach the objectives of this Plan:

- (a) change in low flow regime,
- (b) change in moderate to high flow regime,
- (c) change in surface water and groundwater extraction relative to the long-term average annual extraction limit,

- (d) change in local water utility access,
- (e) change in or maintenance of the ecological value of key water sources and their dependent ecosystems,
- (f) the extent to which basic landholder rights requirements have been met,
- (g) the extent to which local water utility requirements have been met,
- (h) the extent to which native title rights requirements have been met,
- (i) the change in economic benefits derived from water extraction and use, and
- (j) the extent of recognition of spiritual, social and customary values of water to Aboriginal people.

Part 3 Bulk access regime

13 Bulk access regime

- (1) This Plan establishes a bulk access regime for the extraction of water under access licences in these water sources, having regard to:
 - (a) the environmental water rules established in Part 4 of this Plan,
 - (b) the requirements for water for basic landholder rights identified in Division 2 of Part 5 of this Plan,
 - (c) the requirements for water for extraction under access licences identified in Division 3 of Part 5 of this Plan, and
 - (d) the access licence dealing rules established in Part 10 of this Plan.
- (2) The bulk access regime established in this Plan for these water sources:
 - (a) recognises and is consistent with the limits to the availability of water set in relation to these water sources contained in Division 1 of Part 6 of this Plan,
 - (b) establishes rules according to which access licences are to be granted and managed contained in Parts 7 and 8 of this Plan and available water determinations to be made contained in Division 2 of Part 6 of this Plan,
 - (c) recognises the effect of climatic variability on the availability of water as described in clause 14,
 - (d) establishes rules with respect to the priorities according to which water allocations are to be adjusted as a consequence of any reductions in the availability of water due to an increase in average annual extraction against the long-term average annual extraction limit, contained in Division 1 of Part 6 of this Plan,
 - (e) contains provisions with respect to the conditions that must be imposed as mandatory conditions on access licences, contained in Division 2 of Part 11 of this Plan, and
 - (f) recognises and is consistent with the water management principles contained in section 5 of the Act.

14 Climatic variability

This Plan recognises the effects of climatic variability on river flow and groundwater levels in these water sources by having provisions that:

- (a) manage the sharing of water in these water sources within the limits of water availability on a long-term average annual basis and the priorities according to which water allocations are to be adjusted as a consequence of any reductions in the availability of water due to an increase in average annual extraction against the long-term average annual extraction limit, contained in Division 1 of Part 6 of this Plan, and
- (b) manage the sharing of water in specified water sources on a daily basis in these water sources, contained in Division 2 of Part 8 of this Plan.

Note. Other statutory tools are available to manage climatic variability within a water source, for example, temporary water restrictions under section 324 of the Act.

Part 4 Planned environmental water provisions

Note. This Part is made in accordance with sections 8, 8A and 20 of the Act.

15 General

This Part contains environmental water rules for the commitment, identification, establishment and maintenance of planned environmental water in these water sources.

Note. In accordance with the Act, planned environmental water is water that is committed by management plans for fundamental ecosystem health or other specified environmental purposes, either generally or at specified times or in specified circumstances and that cannot to the extent committed be taken or used for any other purpose.

16 Commitment and identification of planned environmental water

- (1) Planned environmental water is committed and identified in the water sources as set out in this clause.
- (2) Water is committed and identified as planned environmental water in the Gwydir Unregulated River Water Sources in the following ways:
 - (a) by reference to the commitment of the physical presence of water in the water source, and
 - (b) by reference to the water that is not committed after the commitments to basic landholder rights and for sharing and extraction under any other rights have been met.
- (3) Water is committed and identified as planned environmental water in the Upper Gwydir Alluvial Groundwater Source in the following ways:
 - (a) by reference to the commitment of the physical presence of water in the water source,
 - (b) by reference to the long-term average annual commitment of water as planned environmental water, and
 - (c) by reference to the water that is not committed after the commitments to basic landholder rights and for sharing and extraction under any other rights have been met.

17 Establishment and maintenance of planned environmental water

- (1) Planned environmental water is established and maintained in these water sources as set out in this clause.
- (2) Planned environmental water in these water sources is established as follows:
 - (a) it is the physical presence of water that:
 - (i) results from the access rules specified in Division 2 of Part 8 of this Plan for the Gwydir Unregulated River Water Sources,

Note. The rules in Division 2 of Part 8 of this Plan for the Gwydir Unregulated River Water Sources set flow rates or flow levels below which the taking of water is not permitted. Some limited exemptions apply.
 - (ii) is equal to 49% of the long-term average annual rainfall recharge to the Upper Gwydir Alluvial Groundwater Source, and

Note. At the commencement of this Plan the long-term average annual rainfall recharge for the Upper Gwydir Alluvial Groundwater Source are estimated to be 1418.8 ML/yr.
 - (iii) is within the groundwater storage of the Upper Gwydir Alluvial Groundwater Source over the long term,
 - (b) it is the long-term average annual commitment of water as planned environmental water in:
 - (i) the Gwydir Unregulated River Water Sources that results from the application of the available water determination rules as specified in Division 2 of Part 6, the water allocation account management rules as specified in Division 1 of Part 8 and the resulting long-term average annual extraction limit as specified in Division 1 of Part 6, and
 - (ii) the Upper Gwydir Alluvial Groundwater Source, which is equal to 49% of the long-term average annual rainfall recharge, and
 - (c) it is the water remaining after water has been taken pursuant to basic landholder rights and access licences in these water sources, in accordance with the rules specified in Part 6 and Part 8 of this Plan.
- (3) The planned environmental water established under subclause (2) (a) is maintained in:
 - (a) the Gwydir Unregulated River Water Sources, by the rules specified in Division 2 of Part 8 of this Plan, and

- (b) the Upper Gwydir Alluvial Groundwater Source by the rules specified in Part 6 and Part 8 of this Plan.
- (4) The planned environmental water established in subclause (2) (b) is maintained in
- (i) the Gwydir Unregulated River Water Sources by the available water determination rules as specified in Division 2 of Part 6, the water allocation account management rules as specified in Division 1 of Part 8 and the resulting long-term average annual extraction limit as specified in Division 1 of Part 6, and
 - (ii) the Upper Gwydir Alluvial Groundwater Source by the rules in Part 6 which limit the water available for extraction under access licences.
- (5) The planned environmental water established under subclause (2) (c) is maintained in these water sources, by the rules specified in Part 6 and Part 8 of this Plan.

Note. The rules in Part 6 ensure that there will be water remaining in these water sources over the long-term by maintaining compliance with the long-term average annual extraction limit. The rules in Part 6 provide for a reduction in available water determinations when the long-term average annual extraction limit has been assessed to have been exceeded.

Part 5 Requirements for water

Division 1 General

18 Application

- (1) This Part identifies the requirements for water from these water sources for basic landholder rights (Division 2) and for extraction under access licences (Division 3).
- (2) The amounts of water specified in this Part represent the estimated water requirements of persons entitled to basic landholder rights in these water sources and the total volumes or unit shares specified in the share components of all access licences in these water sources. The actual volumes of water available for extraction in these water sources at any time will depend on factors such as climatic variability, access licence priority and the rules in this Plan.
- (3) This Plan recognises that basic landholder rights in these water sources and the total share components of all access licences authorised to extract water from these water sources may change during the term of this Plan. This Plan manages such changes by having provisions that manage the sharing of water within the limits of water availability, as provided for in Division 1 of Part 6 of this Plan.

Note. The total share components of access licences in these water sources may change during the term of this Plan as a result of:

- (a) the granting, surrender or cancellation of access licences in these water sources,
- (b) the variation of local water utility licences under section 66 of the Act, or
- (c) changes due to the volumetric conversion of *Water Act 1912* entitlements that are currently non-volumetric.

Division 2 Requirements for water for basic landholder rights

19 Domestic and stock rights

At the commencement of this Plan the water requirements of persons entitled to domestic and stock rights in these water sources are estimated to total 4.84 megalitres per day (hereafter *ML/day*), distributed as follows:

- (a) 0.23 ML/day in the Roumalla Creek Water Source,
- (b) 0.30 ML/day in the Rocky River Water Source,

- (c) 0.16 ML/day in the Boorolong Creek Water Source,
- (d) 0.30 ML/day in the Upper Gwydir River Water Source,
- (e) 0.38 ML/day in the Laura Creek Water Source,
- (f) 0.10 ML/day in the Bakers Creek Water Source,
- (g) 0.24 ML/day in the Georges Creek Water Source,
- (h) 0.39 ML/day in the Moredun Creek Water Source,
- (i) 0.21 ML/day in the Keera Creek Water Source,
- (j) 0.33 ML/day in the Copeton Dam Water Source,
- (k) 0.06 ML/day in the Halls Creek Water Source,
- (l) 0.01 ML/day in the Mackenzies Flat Water Source,
- (m) 0.22 ML/day in the Myall Creek Water Source,
- (n) 0.06 ML/day in the Gurley Creek Water Source,
- (o) 0.23 ML/day in the Tycannah Creek Water Source,
- (p) 0.26 ML/day in the Warialda Creek Water Source,
- (q) 0.07 ML/day in the Millie Creek Water Source,
- (r) 0.05 ML/day in the Slaughterhouse Creek Water Source,
- (s) 0.12 ML/day in the Mosquito Creek Water Source,
- (t) 0.01 ML/day in the Moree Water Source,
- (u) 0.27 ML/day in the Gil Gil Creek Water Source,
- (v) 0.24 ML/day in the Thalaba Creek Water Source,
- (w) 0.07 ML/day in the Mehi River Water Source,
- (x) 0.11 ML/day in the Gwydir Water Source,
- (y) 0.01 ML/day in the Carole Creek Water Source,

- (z) 0.10 ML/day in the Gingham Watercourse Water Source,
- (aa) 0.11 ML/day in the Barwon Water Source, and
- (bb) 0.2 ML/day in the Upper Gwydir Alluvial Groundwater Source.

Notes.

- 1 Domestic and stock rights are set out in Division 1 of Part 1 of Chapter 3 of the Act and must be exercised in accordance with any mandatory guidelines established under the Act with respect to the taking and use of water for domestic consumption or stock watering.
- 2 Inherent water quality and land use activities may make the water in some areas unsuitable for human consumption. Water from these water sources should not be consumed without first being tested and if necessary, appropriately treated. Such testing and treatment is the responsibility of the water user.

20 Native title rights

At the commencement of this Plan there are no native title rights in these water sources. Therefore the water requirements for native title rights total 0 megalitres per year (hereafter *ML/year*).

Note. A change in native title rights may occur pursuant to the provisions of the *Native Title Act 1993* (Cth).

21 Harvestable rights

The requirement for water under harvestable rights in these water sources is the total amount of water that owners or occupiers of landholdings are entitled to capture and store, pursuant to a harvestable rights order made under Part 1 of Chapter 3 of the Act.

Division 3 Requirements for water for extraction under access licences

22 Share components of domestic and stock access licences

It is estimated that at the time of commencement of this Plan the share components of domestic and stock access licences authorised to extract water from these water sources will total 518.6 ML/year, distributed as follows:

- (a) 24.5 ML/year in the Roumalla Creek Water Source,
- (b) 18 ML/year in the Rocky River Water Source,
- (c) 6 ML/year in the Boorolong Creek Water Source,
- (d) 27.5 ML/year in the Upper Gwydir River Water Source,

- (e) 16.5 ML/year in the Laura Creek Water Source,
- (f) 0 ML/year in the Bakers Creek Water Source,
- (g) 0 ML/year in the Georges Creek Water Source,
- (h) 14.5 ML/year in the Moredun Creek Water Source,
- (i) 0 ML/year in the Keera Creek Water Source,
- (j) 31 ML/year in the Copeton Dam Water Source,
- (k) 5 ML/year in the Halls Creek Water Source,
- (l) 0 ML/year in the Mackenzies Flat Water Source,
- (m) 35 ML/year in the Myall Creek Water Source,
- (n) 6.5 ML/year in the Gurley Creek Water Source,
- (o) 18 ML/year in the Tycannah Creek Water Source,
- (p) 6.5 ML/year in the Warialda Creek Water Source,
- (q) 34 ML/year in the Millie Creek Water Source,
- (r) 0 ML/year in the Slaughterhouse Creek Water Source,
- (s) 9 ML/year in the Mosquito Creek Water Source,
- (t) 4 ML/year in the Moree Water Source,
- (u) 38.5 ML/year in the Gil Gil Creek Water Source,
- (v) 21.5 ML/year in the Thalaba Creek Water Source,
- (w) 86 ML/year in the Mehi River Water Source,
- (x) 16.5 ML/year in the Gwydir Water Source,
- (y) 0 ML/year in the Carole Creek Water Source,
- (z) 5 ML/year in the Gingham Watercourse Water Source,
- (aa) 20 ML/year in the Barwon Water Source, and

- (bb) 75.1 ML/year in the Upper Gwydir Alluvial Groundwater Source.

23 Share components of local water utility access licences

It is estimated that at the time of commencement of this Plan the share components of local water utility access licences authorised to extract water from these water sources will total 817 ML/year, distributed as follows:

- (a) 621 ML/year in the Rocky River Water Source,

Note. Town Water Supply for Uralla in the Uralla Shire Council. 621 ML/year from the Kentucky Creek.

- (b) 93 ML/year in the Moredun Creek Water Source,

Note. Town Water Supply for Bundarra in the Uralla Shire Council. 93 ML/year from the Gwydir River.

- (c) 43 ML/year in the Gil Gil Creek Water Source,

Note. Town Water Supply for Garah in the Moree Plains Shire Council. 43 ML/year from the Gil Gil Creek.

- (d) 60 ML/year in the Upper Gwydir Alluvial Groundwater Source, and

Note. Town Water Supply for Gravesend in the Gwydir Shire Council. 60 ML/year from the Upper Gwydir Alluvial.

- (e) 0 ML/year in all other water sources.

24 Share components of unregulated river access licences

It is estimated that at the time of commencement of this Plan the share components of unregulated river access licences authorised to extract water from these water sources will total 61,722 unit shares, distributed as follows:

- (a) 632 unit shares in the Roumalla Creek Water Source,

- (b) 47 unit shares in the Rocky River Water Source,

- (c) 225 unit shares in the Boorolong Creek Water Source,

- (d) 1561 unit shares in the Upper Gwydir River Water Source,

- (e) 804 unit shares in the Laura Creek Water Source,

- (f) 35 unit shares in the Bakers Creek Water Source,

- (g) 24 unit shares in the Georges Creek Water Source,

- (h) 2237 unit shares in the Moredun Creek Water Source,
- (i) 192 unit shares in the Keera Creek Water Source,
- (j) 1025 unit shares in the Copeton Dam Water Source,
- (k) 570 unit shares in the Halls Creek Water Source,
- (l) 27 unit shares in the Mackenzies Flat Water Source,
- (m) 1389 unit shares in the Myall Creek Water Source,
- (n) 5 unit shares in the Gurley Creek Water Source,
- (o) 2768 unit shares in the Tycannah Creek Water Source,
- (p) 151 unit shares in the Warialda Creek Water Source,
- (q) 9967 unit shares in the Millie Creek Water Source,
- (r) 0 unit shares in the Slaughterhouse Creek Water Source,
- (s) 778 unit shares in the Mosquito Creek Water Source,
- (t) 2510 unit shares in the Moree Water Source,
- (u) 1421 unit shares in the Gil Gil Creek Water Source,
- (v) 2492 unit shares in the Thalaba Creek Water Source,
- (w) 16580 unit shares in the Mehi River Water Source,
- (x) 9720 unit shares in the Gwydir Water Source,
- (y) 0 unit shares in the Carole Creek Water Source,
- (z) 3322 unit shares in the Gingham Watercourse Water Source, and
- (aa) 3240 unit shares in the Barwon Water Source.

25 Share components of aquifer (high security) access licences

It is estimated that at the time of commencement of this Plan the share components of aquifer (high security) access licences authorised to take water from the Upper Gwydir Alluvial Groundwater Source will total 1115 unit shares.

Part 6 Limits to the availability of water

Division 1 Long-term average annual extraction limits

26 General

The availability of water for extraction in these water sources on a long-term basis is to be managed in accordance with this Part.

27 Volume of the long-term average annual extraction limits

- (1) This clause establishes long-term average annual extraction limits by reference to the EMU and the Upper Gwydir Alluvial Groundwater Source.
- (2) Subject to subclause (4), the long-term average annual extraction limit for the Gwydir Unregulated River Extraction Management Unit is:
 - (a) the estimated annual extraction of water averaged over the period from July 1993 to June 1999 under entitlements issued under Part 2 of the *Water Act 1912* in the following water sources:
 - (i) Roumalla Creek Water Source,
 - (ii) Rocky River Water Source,
 - (iii) Boorolong Creek Water Source,
 - (iv) Upper Gwydir River Water Source,
 - (v) Laura Creek Water Source,
 - (vi) Bakers Creek Water Source,
 - (vii) Georges Creek Water Source,
 - (viii) Moredun Creek Water Source,
 - (ix) Keera Creek Water Source,
 - (x) Copeton Dam Water Source,
 - (xi) Halls Creek Water Source,

- (xii) Mackenzies Flat Water Source,
- (xiii) Myall Creek Water Source,
- (xiv) Gurley Creek Water Source,
- (xv) Tycannah Creek Water Source,
- (xvi) Warialda Creek Water Source,
- (xvii) Millie Creek Water Source,
- (xviii) Slaughterhouse Creek Water Source,
- (xix) Mosquito Creek Water Source,
- (xx) Moree Water Source,
- (xxi) Gil Gil Creek Water Source,
- (xxii) Thalaba Creek Water Source,
- (xxiii) Mehi River Water Source,
- (xxiv) Gwydir Water Source,
- (xxv) Carole Creek Water Source,
- (xxvi) Gingham Watercourse Water Source,
- (xxvii) Barwon Water Source, plus

(b) the estimated annual water requirements pursuant to domestic and stock rights and native title rights in the following water sources at the commencement of this Plan:

- (i) Roumalla Creek Water Source,
- (ii) Rocky River Water Source,
- (iii) Boorolong Creek Water Source,
- (iv) Upper Gwydir River Water Source,
- (v) Laura Creek Water Source,

- (vi) Bakers Creek Water Source,
- (vii) Georges Creek Water Source,
- (viii) Moredun Creek Water Source,
- (ix) Keera Creek Water Source,
- (x) Copeton Dam Water Source,
- (xi) Halls Creek Water Source,
- (xii) Mackenzies Flat Water Source,
- (xiii) Myall Creek Water Source,
- (xiv) Gurley Creek Water Source,
- (xv) Tycannah Creek Water Source,
- (xvi) Warialda Creek Water Source,
- (xvii) Millie Creek Water Source,
- (xviii) Slaughterhouse Creek Water Source,
- (xix) Mosquito Creek Water Source,
- (xx) Moree Water Source,
- (xxi) Gil Gil Creek Water Source,
- (xxii) Thalaba Creek Water Source,
- (xxiii) Mehi River Water Source,
- (xxiv) Gwydir Water Source,
- (xxv) Carole Creek Water Source,
- (xxvi) Gingham Watercourse Water Source,
- (xxvii) Barwon Water Source, plus

- (c) the estimated annual extraction of water averaged over the period from July 1993 to June 1999 under entitlements issued under Part 2 of the *Water Act 1912*

in the Rocky Creek Water Source, Cobbadah Water Source, the Upper Horton Water Source and the Lower Horton Water Source at the commencement of the *Water Sharing Plan for the Rocky Creek, Cobbadah, Upper Horton and Lower Horton Water Source 2003*, plus

- (d) the estimated annual water requirements pursuant to domestic and stock rights and native title rights in the Rocky Creek Water Source, Cobbadah Water Source, the Upper Horton Water Source and the Lower Horton Water Source at the commencement of the *Water Sharing Plan for the Rocky Creek, Cobbadah, Upper Horton and Lower Horton Water Source 2003*, plus
 - (e) the estimated annual extraction of water averaged over the period from July 1993 to July 1999 by floodplain harvesting activities for which floodplain harvesting access licences were later issued in the respective extraction management unit.
- (3) Subject to any variation under subclause (4), the long-term average annual extraction limit for the Upper Gwydir Alluvial Groundwater Source is 721 ML.

Note. The long term average annual extraction limit for the Upper Gwydir Alluvial Groundwater Source is as follows:

- (a) an estimate of annual extraction of water for those entitlements issued under Part 5 of the *Water Act 1912* in this water source, plus
 - (b) an estimate of annual water requirements for domestic and stock rights and native title rights in this water source.
- (4) Following the surrender and cancellation of an access licence in these water sources under sections 77 and 77A of the Act, the Minister may vary the respective long-term average annual extraction limit.

Note. Under Section 8F of the Act the long-term extraction limit is taken to be varied by the amount of any change to the amount of water committed as licensed environmental water. Water committed as licensed environmental water is not to be accounted for as extraction. The variation in the long-term extraction limit is to be determined in accordance with a methodology approved by the Minister and published in the Gazette.

28 Calculation of current levels of annual extraction

- (1) After each water year, the total volume of water extracted during that water year under access licences and pursuant to domestic and stock rights and native title rights shall be calculated for the EMU and the Upper Gwydir Alluvial Groundwater Source.
- (2) In the EMU and the Upper Gwydir Alluvial Groundwater Source, for the purpose of calculating the total volume of water extracted during a water year, the following shall be taken into account:

- (a) all water taken by holders of all categories of access licence in the water source, and
- (b) all water taken pursuant to domestic and stock rights and native title rights in the water source.

29 Assessment of average annual extraction against the long-term average annual extraction limit

- (1) An assessment of average annual extractions against the long-term average annual extraction limit is to be conducted for the EMU and the Upper Gwydir Alluvial Groundwater Source as set out in this clause.
- (2) Commencing in the sixth water year in which this Plan has effect, the assessments referred to in subclause (1) must compare the long term average annual extraction limit established in clause 27 (2) for the EMU and clause 27 (3) for the Upper Gwydir Alluvial Groundwater Source against the annual extraction averaged over the preceding five water years.

30 Compliance with the long-term average annual extraction limits

- (1) Compliance with the long-term average annual extraction limit established for the EMU is to be managed in accordance with this clause.
- (2) Commencing in the sixth water year in which this Plan has effect, if in the Minister's opinion, the assessment under clause 29 demonstrates that annual extractions in the EMU averaged over the preceding five water years have exceeded the long-term average annual extraction limit by 5% or more, then the available water determinations for unregulated river access licences in the EMU are to be reduced in the following water year in accordance with subclause (3).
- (3) The reduction under subclause (2) is to be of an amount that is, in the Minister's opinion, necessary to return average annual extractions in the EMU to the long-term average annual extraction limit established in this Part.

Note. Reductions to available water determinations under subclause (2) will apply to the Gwydir Unregulated River Water Sources within the Gwydir Unregulated Rivers Extraction Management Unit. The same reductions to available water determinations will apply to all other unregulated river water sources within the Gwydir Unregulated Rivers Extraction Management Unit.

31 Compliance with the long-term average annual extraction limits for the Upper Gwydir Alluvial Groundwater Source

- (1) Compliance with the long-term average annual extraction limits established for the

Upper Gwydir Alluvial Groundwater Source is to be managed in accordance with this clause.

- (2) Commencing in the sixth water year in which this Plan has effect, if in the Minister's opinion the assessment under clause 29 (2) demonstrates that annual extractions in the Upper Gwydir Alluvial Groundwater Source averaged over the preceding five water years have exceeded the long-term average annual extraction limit under clause 27 (3) for that water source by 10% or more, then the available water determinations for aquifer (high security) access licences in the Upper Gwydir Alluvial Groundwater Source are to be reduced in the following water year in accordance with subclause (3).
- (3) The reduction under subclause (2) is to be of an amount that is, in the Minister's opinion, necessary to return average annual extractions in the Upper Gwydir Alluvial Groundwater Source to the long-term average annual extraction limit established in this Part.

Division 2 Available water determinations

32 General

- (1) Available water determinations for access licences with a share component that specifies one of these water sources are to be expressed as either:
 - (a) a percentage of share component for access licences which have share components specified as megalitres per year, or
 - (b) megalitres per unit share for access licences which have share components specified as a number of unit shares.
- (2) Subject to subclause (3), the sum of available water determinations made for any access licence with a share component that specifies one of these water sources must not, in any water year, exceed:
 - (a) 100% of the access licence share component or such lower amount that results from Division 1 of this Part, for all access licences with share components specified as megalitres per year, or
 - (b) 1 megalitre per unit share of the access licence share component or such lower amount that results from Division 1 of this Part, for all access licences with share components specified as a number of unit shares.
- (3) For the first water year in which this Plan has effect only, subclause (2) does not apply

to access licences with a share component that specifies one of these water sources, excluding the Upper Gwydir Alluvial Groundwater Source.

33 Available water determinations for domestic and stock access licences

- (1) In making available water determinations under section 59 of the Act for domestic and stock access licences, the Minister should consider the rules in this clause.
- (2) At the commencement of this Plan, an available water determination of 200% of the access licence share component should be made for domestic and stock access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.
- (3) At the commencement of each water year after the first water year in which this Plan has effect, an available water determination of 100% of the access licence share component should be made for domestic and stock access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.
- (4) At the commencement of this Plan and at the commencement of each water year after the first water year in which this Plan has effect, an available water determination of 100% of the access licence share component should be made for domestic and stock access licences with a share component that specifies the Upper Gwydir Alluvial Water Source.

34 Available water determinations for local water utility access licences

- (1) In making available water determinations under section 59 of the Act for local water utility access licences, the Minister should consider the rules in this clause.
- (2) At the commencement of this Plan, an available water determination of 200% of the access licence share component should be made for local water utility access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.
- (3) At the commencement of each water year after the first water year in which this Plan has effect, an available water determination of 100% of the access licence share component should be made for local water utility access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.
- (4) At the commencement of this Plan and at the commencement of each water year after the first water year in which this Plan has effect, an available water determination of 100% of the access licence share component should be made for local water utility

access licences with a share component that specifies the Upper Gwydir Alluvial Water Source.

35 Available water determinations for unregulated river access licences

- (1) In making available water determinations under section 59 of the Act for unregulated river access licences, the Minister should consider the rules in this clause.
- (2) At the commencement of this Plan, an available water determination of 2 ML per unit of share component should be made for unregulated river access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.
- (3) At the commencement of each water year after the first water year in which this Plan has effect, an available water determination of 1 ML per unit of share component or such lower amount that results from Division 1 of this Part, should be made for unregulated river access licences with a share component that specifies one of the Gwydir Unregulated River Water Sources.

Note. Division 1 of this Part provides for available water determinations for unregulated river access licences to be reduced where the long-term average annual extraction limit for the EMU has been assessed to have been exceeded, as per clauses 29 and 30.

36 Available water determinations for aquifer (high security) access licences

- (1) In making available water determinations under section 59 of the Act for aquifer (high security) access licences, the Minister should consider the rules in this clause.
- (2) At the commencement of this Plan and at the commencement of each water year after the first water year in which this Plan has effect, an available water determination should be made for aquifer (high security) access licences in the Upper Gwydir Alluvial Water Source, equal to:
 - (a) 0.3 ML per unit of share component aquifer (high security) access licences, plus
 - (b) 70% of the available water determination for regulated river (high security) access licences in the Gwydir Regulated River Water Source as defined in the *Water Sharing Plan for the Gwydir Regulated River Water Source 2002*,

or such lower amount that results from Division 1 of this Part.

Note. The available water determinations for aquifer (high security) access licences has been informed by hydrogeological modelling, showing that 70% of the water extracted under an average annual pumping scenario originates from the Gwydir Regulated River.

- (3) After the available water determination under subclause (1) has been made, further

available water determinations for aquifer (high security) access licences may be made whenever additional available water determinations for regulated river (high security) access licences in the Gwydir Regulated River Water Source are made.

- (4) Available water determinations made under subclause (2) shall be equal to 70% of the available water determination for regulated river (high security) access licences in the Gwydir Regulated River Water Source.

Note. Division 1 of this Part provides for available water determinations for aquifer (high security) access licences to be reduced where the long-term average annual extraction limit for the water sources has been assessed to have been exceeded, as per clauses 29 and 31.

Part 7 Rules for granting access licences

Notes.

- 1 This Part is made in accordance with sections 20, 61 and 63 of the Act.
- 2 Access licences granted in these water sources will be subject to mandatory conditions and discretionary conditions.

37 Specific purpose access licences

- (1) A specific purpose access licence must not be granted in these water sources unless the Minister is satisfied that the share and extraction component of the access licence is the minimum required to meet the circumstances in which the access licence is proposed to be used.
- (2) Applications for special purpose access licences other than those permitted under the Regulation must not be made in these water sources.
- (3) An access licence of the subcategory “Aboriginal cultural” must not be granted in these water sources unless the share component of the proposed access licence is less than or equal to 10 ML/year.

38 Granting of access licences as a result of controlled allocation

The Minister may grant an access licence where the right to apply for the licence has been acquired in accordance with an order made under section 65 of the Act.

Part 8 Rules for managing access licences

Division 1 Water allocation account management rules

39 General

The rules in this Division apply to the taking of water under an access licence with a share component that specifies one of these water sources.

Note. The Act provides for the keeping of water allocation accounts. The rules in this Division impose further limits on the water that may be taken under an access licence over a specified period of time. These limits are in addition to any other limits on access licences for the taking of water contained in this Plan. For further clarification, these rules do not authorise the taking of more water than is credited to the respective water allocation account for the access licence at the time water is taken. It is an offence under the Act to take more water than is credited to the water allocation account for an access licence.

40 Individual access licence account management rules for the Gwydir Unregulated River Water Sources

- (1) This clause applies to all access licences with share components that specify one of the Gwydir Unregulated River Water Sources.
- (2) In the first three water years in which this Plan has effect, the maximum volume of water that may be taken under a domestic and stock access licence, a local water utility access licence or an unregulated river access licence in the Gwydir Unregulated Rivers Water Sources must not exceed a volume equal to:
 - (a) 50% of the water allocations accrued to the water allocation account for the access licence from available water determinations in the first water year, plus
 - (b) the sum of water allocations accrued to the water allocation account for the access licence from available water determinations in the second and third water years, plus
 - (c) the net amount of any water allocations assigned to or from the water allocation account for the access licence under section 71T of the Act in those water years, plus
 - (d) any water allocations re-credited to the water allocation account for the access licence in accordance with section 76 of the Act in those water years.
- (3) In any three consecutive water years after the first water year in which this Plan has effect, the maximum volume of water that may be taken under a domestic and stock access licence, a local water utility access licence or an unregulated river access

licence in the Gwydir Unregulated River Water Sources, must not exceed a volume equal to the lesser of:

- (a) the sum of:
 - (i) the water allocations accrued to the water allocation account for the access licence from available water determinations in those three water years,
 - (ii) the water allocations carried over from the water year prior to those three water years under subclause (4),
 - (iii) the net amount of any water allocations assigned to or from the water allocation account for the access licence under section 71T of the Act in those three water years, and
 - (iv) any water allocations re-credited to the water allocation account for the access licence in accordance with section 76 of the Act in those three water years, or
 - (b) the sum of
 - (i) the share component of the access licence at the beginning of each of those three water years, and
 - (ii) the net amount of any water allocations assigned to or from the water allocation account for the access licence under section 71T of the Act in those three water years.
- (4) The maximum water allocation that can be carried over in the water allocation account for a domestic and stock access licence, a local water utility access licence or an unregulated river access licence in one of the Gwydir Unregulated River Water Sources, from one water year to the next is equal to:
- (a) 100% of the access licence share component, for access licences with share components expressed as ML/year, or
 - (b) 1 ML per unit share of access licence share component, for access licences with share components expressed as a number of unit shares.

41 Individual access licence account management rules for the Upper Gwydir Alluvial Groundwater Source

- (1) The rules in this clause apply to the taking of water under an access licence with a share component that specifies the Upper Gwydir Alluvial Groundwater Source.
- (2) For the period of any water year, the maximum volume of water that may be taken under an access licence with a share component that specifies the Upper Gwydir Alluvial Groundwater Source must not exceed a volume equal to:
 - (a) the sum of water allocations accrued to the water allocation account for the access licence from available water determinations in that water year, plus
 - (b) the net amount of any water allocations assigned to or from the water allocation account for the access licence under section 71T of the Act in that water year, plus
 - (c) any water allocations re-credited to the water allocation account for the access licence in accordance with section 76 of the Act in that water year.
- (3) Water allocations remaining in the water allocation account for an access licence in the Upper Gwydir Alluvial Groundwater Source cannot be carried over from one water year to the next.

Division 2 Flow classes and daily access rules

42 General

The rules in this Division apply to the taking of water under an access licence with a share component that specifies one of these water sources.

Note. Part 12 allows for amendments to be made to Division 2 of Part 8.

43 Flow classes

- (1) This Plan establishes the flow classes specified in Column 3 of Table B as the basis for the sharing of flows on a daily basis in the Gwydir Unregulated River Water Sources.
- (2) The flow classes in Column 3 of Table B and the flow reference points specified in Column 6 of Table B are established for each water source specified in Column 1 and each management zone specified in Column 2 of Table B.
- (3) The flow classes commence in the year specified in Column 4 of Table B.

(4) A flow class applies in the respective water source or management zone, on the day specified in Column 7 of Table B when the flow (ML/day) as measured at the flow reference point specified in Column 6 of Table B is equal to the flow specified in Column 5 of Table B.

(5) For the purpose of Table B, *Year 1 of this Plan* means from the date of commencement of this Plan.

Note. The flow classes, flow reference points, the water sources or management zones to which a flow class applies, or any other matter listed in Table B may be amended as provided for in Part 12 of this Plan.

Note. Only those water sources for which flow classes have been established at the commencement of this Plan are shown in Table B.

Table B–Flow Classes

| Column 1 Water Source | Column 2 Management Zone | Column 3 Flow class | Column 4 Commencement | Column 5 Flow (ML/day) | Column 6 Flow reference point | Column 7 Day on which flow class applies |
|----------------------------------|-----------------------------------|------------------------|--------------------------|----------------------------------|---|---|
| Gingham Watercourse Water Source | | Very Low Flow Class | Year 1 of this Plan | Less than or equal to 400 ML/day | Gingham channel at Gingham Bridge gauge (418079) | Same day |
| | | A Class | Year 1 of this Plan | More than 400 ML/day | | Same day |
| Halls Creek Water Source | Halls Creek Management Zone | Very Low Flow Class | Year 1 of this Plan | No visible flow | Bingara Barraba Rd bridge gauge (418025) in the South East Corner of TSR 29609, Parish of Bingara | Same day |
| | | A Class | Year 1 of this Plan | Visible flow | | Same day |
| Gwydir Water Source | Upper Big Leather Management Zone | Very Low Flow Class | Year 1 of this Plan | Less than or equal to 250 | Gwydir River at Millewa gauge (418066) | Same day |
| | | A Class | Year 1 of this Plan | More than 250 ML/day | | Same day |
| | Lower Big Leather Management Zone | Very Low Flow Class | Year 1 of this Plan | Less than or equal to 250 ML/day | Gwydir River at Millewa gauge (418066) | Same day |
| | | A Class | Year 1 of this Plan | More than 250 ML/day | | Same day |

Note.

- 1 For Gingham River at Gingham Bridge gauge (418079), 400 ML/day corresponds to the estimated 4th percentile flow.
- 2 For Halls Creek at Bingara Barraba Road gauge (418025), no visible flow corresponds to a gauge height of 0.1m.
- 3 For Gwydir River at Millewa gauge (418066) 250 ML/day corresponds to the estimated 9th percentile flow.

44 Access rules for the taking of surface water

(1) This clause applies to the taking of water under an access licence from the Gwydir Unregulated Water Sources excluding:

- (a) the taking of water from the Upper Gwydir Alluvial Groundwater Source, and

- (b) the taking of water under an access licence that nominates an aquifer interference approval and does not nominate a water supply work approval in the Gwydir Unregulated Water Sources.
- (2) Subject to subclause (11), water must not be taken under an access licence with a share component that specifies a water source or an extraction component that specifies a management zone with a Very Low Flow Class that has commenced, when flows in that water source or management zone are in the Very Low Flow Class. This subclause does not apply to the taking of water from a natural pool, lagoon or lake that is not within a river or stream (regardless of stream size), is on a flood-runner or is on an effluent that only commences to flow during high flows.
- (3) Subject to subclause (11), in water sources where flow classes have been established, water must not be taken under an access licence from a natural pool, lagoon or lake that is not within a river or stream (regardless of stream size), is on a flood-runner or floodplain, or is on an effluent that only commences to flow during high flows, when the water level in that pool, lagoon or lake is at less than 100% of its full containment volume.

Note. *Full containment volume* is defined in the Dictionary.

- (4) Subject to subclause (11), water must not be taken under an access licence if there is no visible flow in the water source at the location at which water is proposed to be taken. This subclause does not apply to the taking of water from:
 - (a) a natural pool, lagoon or lake that is not within a river or stream (regardless of stream size), is on a flood-runner or floodplain, or is on an effluent that only commences to flow during high flows, or
 - (b) a natural pool, lagoon or lake that is within a river or stream (regardless of stream size) and that remains after visible flow into and out of the pool, lagoon or lake has ceased.

Note. *Visible flow* is defined in the Dictionary.

- (5) Subject to subclause (11), in water sources where flow classes have not been established, water must not be taken under an access licence from a natural pool, lagoon or lake that is not within a river or stream (regardless of stream size), is on a flood-runner or floodplain, or is on an effluent that only commences to flow during high flows, when the water level in that pool, lagoon or lake is at less than 100% of its full containment volume.

- (6) Subject to subclause (11), in water sources where flow classes have not been established, water must not be taken under an access licence from a natural pool, lagoon or lake that is within a river or stream (regardless of stream size), is on a flood-runner or floodplain or is on an effluent that only commences during high flows, when the water level in that pool, lagoon or lake is at less than 100% of its full containment volume.

Minister's note.

The cease to take condition for natural pools of “less than 100% of full containment volume” is a default rule resulting from a new state policy. More lenient rules may be appropriate in areas where these rules would significantly impact on current irrigation operations. It is important that these are identified during public exhibition, and that any impacts that would result from the adoption of the default rule are described and options for alternate rules are proposed.

Comments on this issue are invited.

- (7) Subject to subclause (11), water must not be taken under an access licence where the cease to pump threshold on the entitlement issued under Part 2 of the *Water Act 1912* that the access licence replaces is, in the Minister's opinion, higher than the applicable cease to take conditions specified in subclauses (2)–(6), when flows or storage/containment levels are at or less than the cease to pump threshold that was specified on the replaced *Water Act 1912* entitlement. In this subclause, ***cease to pump threshold*** means a condition or restrictions on the replaced entitlement which places a limit on when water may be taken.

Note. Those licences and access rules that have been identified as higher than the cease to take conditions specified in subclauses (2)–(6) are listed in Appendix 3.

Drafting note.

The NSW Office of Water is currently in the process of identifying *Water Act 1912* entitlements that have cease to pump rules that are higher than the cease to take conditions specified in clause 44 (2)–(6) of this Plan. It is intended that these entitlements will be listed in Appendix 3 at the commencement of this Plan.

- (8) Water must not be taken from a pool created by a structure covered by a water supply work approval under an access licence when flows or storage levels are at or less than

the cease to pump threshold that was specified on the entitlement issued under Part 2 of the *Water Act 1912* that the access licence replaces.

- (9) Water must not be taken from an in-river dam pool unless the in-river dam is passing such flows as specified on the water supply work approval for the in-river dam.
- (10) The flows to be specified on the water supply work approval for the in-river dam referred to in subclause (9) are:
 - (a) the flows that were specified in conditions on the *Water Act 1912* entitlement that the approval replaces, or
 - (b) where no flows were specified, the amount of flows determined by the Minister.
- (11) Subclauses (2)–(8) do not apply to the following:
 - (a) the taking of water under an access licence to which clause 1 of Schedule 3 applies, for any of the purposes listed below, provided that the volume of water taken does not exceed 20 kilolitres per day per access licence or such lower amount specified on the access licence in accordance with subclause (10):
 - (i) fruit washing,
 - (ii) cleaning of dairy plant and equipment for the purpose of hygiene,
 - (iii) poultry watering and misting, or
 - (iv) cleaning of enclosures used for intensive animal production for the purposes of hygiene,
 - (b) the taking of water for domestic consumption only under a domestic and stock access licence or a domestic and stock (subcategory “domestic”) access licence that existed at the commencement of this Plan, provided that the volume of water taken does not exceed 1 kilolitre per house supplied by the access licence per day,
 - (c) the taking of water for stock watering only under a domestic and stock access licence or a domestic and stock (subcategory “stock”) access licence that existed at the commencement of this Plan, for the first five years of this Plan provided the volume of water taken does not exceed 14 litres per hectare of grazeable area per day,
 - (d) the taking of water from a runoff harvesting dam or from an in-river dam pool,

and

- (e) the taking of water under a local water utility access licence or an unregulated river (subcategory “town water supply”) access licence to which clause 2 of Schedule 3 applies.
- (12) The Minister may amend a water supply work approval to reduce the maximum daily volume limit imposed by the rule under subclause (11) (a) if the Minister is satisfied that the reduced volume is satisfactory to meet the purpose referred to in subclause (11) (a).

Note. Part 12 of this Plan allows for amendments to be made to clause 44.

45 Total daily extraction limits

At the commencement of this Plan, total daily extraction limits (hereafter *TDELs*) are not established for any access licences in these water sources.

Notes.

- 1 TDELs are an assessment tool only and will be used by the NSW Office of Water to determine which access licences (if any) may require individual daily extraction limits. However, continued exceedance of a TDEL may result in the imposition of individual daily extraction limits under clause 46.
- 2 Part 12 of this Plan allows for amendments to be made to establish TDELs.

46 Individual daily extraction limits

- (1) At the commencement of this Plan, there are no individual daily extraction limits (hereafter *IDELs*) established for access licences in these water sources.
- (2) If the Minister is satisfied that an assessment of daily extraction under access licences for which a TDEL is established under clause 45 indicates that extraction under the access licences exceeds the TDEL, the Minister may either amend the extraction component of an access licence under section 68A of the Act to impose an IDEL on any one or more of those access licences.

Note. Part 12 of this Plan allows for amendments to be made to establish IDELs.

Part 9 Rules for water supply work approvals

Note. This Part is made in accordance with sections 5, 21 and 95 of the Act.

Division 1 Rules applying to water supply works that take surface water

47 General

The rules in this Division apply to water supply work approvals for water supply works that may be used to take water in the Gwydir Unregulated River Water Sources.

Note. The rules in this Division apply to all water supply works except those water supply works that may be used to take water from these alluvial sediments.

48 Granting or amending water supply work approvals

- (1) The Minister may amend a water supply work approval for a runoff harvesting dam or an in-river dam if the sum of the share components of access licences nominating that water supply work approval is reduced via:
 - (a) a dealing,
 - (b) the surrender under section 77 of the Act and then the cancellation under 77A (6) of the Act of an access licence,
 - (c) the amendment of the share component of the access licence by the Minister under section 68A, or
 - (d) the cancellation of an access licence under section 78 of the Act or via the compulsory acquisition of an access licence under section 79 of the Act,

to require the modification or removal of that dam in accordance with requirements as specified by the Minister by notice in writing to ensure that the capability of the dam to capture runoff is reduced to reflect that reduction in share component.

Notes.

- 1 **Runoff harvesting dam** is defined in the Dictionary.
 - 2 Water supply work approvals may be granted or amended for in-river dams on third order or higher streams within all water sources and management zones to which this Plan applies, consistent with the principles of the Act.
 - 3 **Stream order** and **in-river dam** are defined in the Dictionary.
- (2) A water supply work approval must not be granted or amended to authorise a water supply work to take water from a significant identified lagoon and wetland specified in Schedule 4 or from an Upland Wetlands of the Drainage Divide of the New

England Tablelands Bioregion Endangered Ecological Community as specified in Schedule 5.

Note. Part 12 allows for amendments to be made to clause 48.

49 Maximum pump capacity

- (1) A water supply work approval must not be granted or amended in the Gwydir Unregulated Water Sources to authorise a pump, if it were to cause the sum of pump capacities nominated by water supply work approvals in the water source to exceed the sum of pump capacities nominated by water supply work approvals that existed in the respective water source at the date of commencement of this Plan.

Note. Pump capacity is the volume of water in litres per second that a pump is able to take from a water source.

- (2) Subclause (1) does not apply if a pump is being replaced because of mechanical failure and a pump of the same capacity is not commercially available.

Division 2 Rules applying to water supply works that take water from the Upper Gwydir Alluvial Groundwater Source

50 General

- (1) The rules in this Division apply to water supply work approvals for water supply works that may be used to take water from the Upper Gwydir Alluvial Groundwater Source.
- (2) In this Division, a reference to a water supply work is limited to a water supply work that may be used to take water from the Upper Gwydir Alluvial Groundwater Source.

51 Rules for amending water supply work approvals for replacement groundwater works

- (1) The Minister may amend a water supply work approval to alter the water supply work to which the approval relates if the Minister is satisfied that the amendment is to authorise a replacement groundwater work.
- (2) For the purposes of this Plan, ***replacement groundwater work*** means a water supply work that replaces an existing water supply work constructed and used for the purpose of taking water from an aquifer where:
 - (a) the existing water supply work is the subject of a water supply work approval under the Act,

- (b) the replacement groundwater work is to be constructed to extract water from the same water source as the existing water supply work,
- (c) the replacement groundwater work is to be constructed to extract water from:
 - (i) the same depth as the existing water supply work, or
 - (ii) a different depth specified by the Minister if the Minister is satisfied that doing so will result in no greater impact on a water source or its dependent ecosystems,
- (d) the replacement groundwater work is to be located:
 - (i) within 20 metres of the existing water supply work, or
 - (ii) more than 20 metres from the existing water supply work if the Minister is satisfied that doing so will result in no greater impact on a water source or its dependent ecosystems,
- (e) the existing water supply work is located within 40 metres of the high bank of a river and the replacement groundwater work is to be located:
 - (i) within 20 metres of the existing water supply work but no closer to the high bank of the river, or
 - (ii) a distance greater than 20 metres of the existing water supply work but no closer to the high bank of the river if the Minister is satisfied that doing so will result in no greater impact on a water source or its dependent ecosystems,
- (f) the replacement groundwater work must not have a greater internal diameter or excavation footprint than the existing water supply work, except where the internal diameter of the casing of the existing water supply work is no longer manufactured, in which case the internal diameter of the replacement groundwater work is to be no greater than 110% of the internal diameter of the existing water supply work it replaces. For the purposes of this paragraph, ***internal diameter*** means the diameter of the inside of the casing of the water supply work which is a water bore and ***excavation footprint*** means the authorised dimensions of a water supply work which is an unlined excavation constructed for the purposes of water supply only.

- (3) For the purposes of subclause (2) (c) (ii), the Minister may require the applicant to

submit a hydrogeological study, assessed as adequate by the Minister, to demonstrate that the construction of the water supply work at a different depth to the existing water supply work will result in no greater impact on a water source or its dependent ecosystems.

- (4) For the purposes of subclauses (2) (d) (ii) or (e) (ii), the Minister may require the applicant to submit a hydrogeological study, assessed as adequate by the Minister, to demonstrate that the location of the water supply work at a greater distance than 20 metres from the existing water supply work will result in no greater impact on a water source or its dependent ecosystems.

Notes.

- 1 The Minister may amend an approval on the application of the holder of the approval, under section 107 of the Act. The operation of section 107 (3) of the Act may further restrict the replacement of an existing water supply work.
- 2 Part 12 allows for amendments to be made to clause 51.

52 Rules to minimise interference between water supply works

- (1) A water supply work approval must not be granted or amended to authorise the construction of a water supply work which, in the Minister's opinion, is located within:
- (a) 200 metres of a water supply work authorised to take water from the same water source that is nominated by another access licence on another landholding,
 - (b) 200 metres of a water supply work authorised to take water from the same water source pursuant to basic landholder rights on another landholding,
 - (c) 100 metres from the boundary of the land on which the work is located, unless the landholder of the land adjoining the boundary has provided consent in writing,
 - (d) 500 metres of a water supply work authorised to take water from the same water source by a local water utility or a major utility, unless the local water utility or major utility has provided consent in writing, or
 - (e) 100 metres of a NSW Office of Water observation or monitoring bore, unless the Minister has provided consent in writing.
- (2) The distance restrictions specified in subclause (1) in relation to the grant or amendment of a water supply work approval do not apply if the Minister is satisfied that:

- (a) the water supply work is solely for basic landholder rights,
 - (b) the water supply work is a replacement groundwater work,
 - (c) the water supply work is for the purpose of monitoring, environmental management or remedial works, or
 - (d) the location of the water supply work would result in no more than minimal impact on existing extractions within these water sources.
- (3) The Minister may request the applicant to undertake a hydrogeological study, submitted by the applicant and assessed as adequate by the Minister, to demonstrate that for the purpose of subclause (2) (d), the location of the water supply work at a lesser distance would result in no greater impact on existing extractions within these water sources.
- (4) An approval granted under subclause (2) (d) must be subject to a requirement that, when directed by the Minister by notice in writing, the approval holder must carry out all actions required by the Minister and specified in the notice, to minimise the impact of the water supply work on existing water levels or extraction, if the Minister is satisfied that the location of the water supply work is causing more than minimal impact on existing water levels or extraction.

Note. Part 12 allows for amendments to be made to clause 52.

53 Rules for water supply works located near contamination sources

- (1) A water supply work approval shall not be granted or amended to authorise the construction of a water supply work which, in the Minister's opinion, is located:
- (a) within 250 metres of a contamination listed in Schedule 6,
 - (b) between 250 metres and 500 metres of a contamination listed in Schedule 6, unless the Minister is satisfied that no drawdown of water will occur within 250 metres of the contamination source, or
 - (c) at a distance specified by the Minister that is more than 500 metres from a contamination listed in Schedule 6, if a greater distance is determined by the Minister to be necessary to protect the water source, the environment or public health and safety.
- (2) The distance restrictions specified in subclause (1) in relation to the grant or amendment of a water supply work approval do not apply if the Minister is satisfied

that:

- (a) the distance is adequate to protect the water source, its dependent ecosystems and public health and safety, or
 - (b) the water supply work is for the purpose of monitoring, environmental management or remedial works.
- (3) The Minister may request the applicant to undertake a hydrogeological study, submitted by the applicant and assessed as adequate by the Minister, to demonstrate that for the purpose of subclause (2) (a), the location of the water supply work at a lesser distance would result in no greater impact on dependent ecosystems and public health and safety.

54 Rules for water supply works located near sensitive environmental areas

- (1) A water supply work approval shall not be granted or amended to authorise the construction of a water supply work which, in the Minister's opinion, is located:
- (a) within 100 metres of a high priority groundwater dependent ecosystem listed in Schedule 7 in the case of a water supply work used solely to take water pursuant to basic landholder rights,
 - (b) within 200 metres of a high priority groundwater dependent ecosystem listed in Schedule 7 in the case of a water supply work not used solely to take water pursuant to basic landholder rights,
 - (c) at a distance specified by the Minister that is more than 200 metres from a high priority groundwater dependent ecosystem listed in Schedule 7, excluding water supply works used solely to take water pursuant to basic landholder rights, if the Minister is satisfied that the water supply work is likely to cause more than minimal drawdown at the perimeter of any groundwater dependent ecosystem listed in Schedule 7, or
 - (d) within 40 metres of the top of the high bank of a river.
- (2) The distance restrictions specified in subclauses (1) (a) and (b) in relation to the grant or amendment of a water supply work approval do not apply if the Minister is satisfied that no more than minimal drawdown of water will occur at the perimeter of any groundwater dependent ecosystem listed in Schedule 7.
- (3) The distance restrictions specified in subclause (1) in relation to the grant or amendment of a water supply work approval do not apply if the Minister is satisfied

that:

- (a) the water supply work is for the purpose of monitoring, environmental management or remedial works,
 - (b) the water supply work replaces an existing water supply work that is part of a bore network for a major utility or a local water utility for the purpose of town water supply,
 - (c) the water supply work is a replacement groundwater work, or
 - (d) the location of the water supply work at a lesser distance would result in no greater impact on these water sources and their groundwater dependent groundwater ecosystems.
- (4) The Minister may request the applicant to undertake a hydrogeological study, submitted by the applicant and assessed as adequate by the Minister, to demonstrate that:
- (a) for the purpose of subclause (2), no more than minimal drawdown of water will occur at the perimeter of any groundwater dependent ecosystem listed in Schedule 7, or
 - (b) for the purpose of subclause (3) (d), the location of the water supply work at a lesser distance would result in no greater impact on these groundwater sources and any groundwater dependent ecosystems listed in Schedule 7.

Note. Part 12 allows for amendments to be made to clause 54.

55 Rules for water supply works located near groundwater dependent culturally significant sites

- (1) A water supply work approval must not be granted or amended to authorise the construction of a water supply work which, which, in the Minister's opinion, is located within:
- (a) 100 metres of a groundwater dependent culturally significant site in the case of a water supply work used solely to take water pursuant to basic landholder rights, or
 - (b) 200 metres of a groundwater dependent culturally significant site in the case of a water supply work not used solely to take water pursuant to basic landholder rights.

- (2) The distance restrictions specified in subclause (1) in relation to the grant or amendment of a water supply work approval do not apply if the Minister is satisfied that:
- (a) the water supply work is for the purpose of monitoring, environmental management or remedial works,
 - (b) the water supply work replaces an existing water supply work that is part of a bore network for a major utility or a local water utility for the purpose of town water supply,
 - (c) the water supply work is sealed off to the nearest impervious layer above the slotted intervals of the water supply work with an impermeable seal constructed between the casing and the bore hole in accordance with any requirements specified by the Minister,
 - (d) the water supply work is a replacement groundwater work, or
 - (e) that the location of the water supply work at a lesser distance would result in no more than a minimal impact on these water sources and their groundwater dependent culturally significant sites.
- (3) The Minister may request the applicant to undertake a hydrogeological study, submitted by the applicant and assessed as adequate by the Minister, to demonstrate that for the purpose of subclause (2) (e), the location of the water supply work at a lesser distance would result in no greater impact on these water sources and their groundwater dependent culturally significant sites.

Note. Culturally significant sites will be identified as a part of the assessment undertaken by the NSW Office of Water during the processing of an application for the granting or amending of a water supply work approval.

56 Rules for the use of water supply works located within restricted distances

- (1) Subject to subclauses (2) and (3), a water supply work that is located within a restricted distance specified in clauses 52–55 must not, in any water year, be used to take more water than the volume of water that is equal to the sum of the share components of the access licences nominating that water supply work at the commencement of this Plan.
- (2) Subject to subclause (3), a water supply work that becomes located within a restricted distance specified in clauses 52–55, as a result of an amendment to this Plan, must not, in any water year, be used to take more water than the volume of water that is

equal to the sum of share components of access licences nominating that water supply work at the date of the amendment.

- (3) Subclauses (1) and (2) do not apply where a restricted distance does not apply in accordance with clause 52 (2), 53 (2), 54 (2) and (3) or 55 (2).

Notes.

- 1 The water quality from any bore can be affected by land use activities and inherent water quality in the aquifer. Water quality cannot be guaranteed and may be unsuitable for human consumption and other uses. The quality of water extracted should be tested before being used and appropriately treated. Such testing and treatment is the responsibility of the licence holder.
- 2 Part 12 allows for amendments to be made to clause 56.

Part 10 Access licence dealing rules

57 General

The access licence dealing rules established in this Part apply to all access licence dealings in these water sources.

Notes.

- 1 Access licence dealings in these water sources are subject to the provisions of the Act, the regulations, the access licence dealing principles and the access licence dealing rules established in this Part.
- 2 The access licence dealing principles prevail over the access licence dealing rules in this Plan to the extent of any inconsistency, as provided under section 71Z (3) of the Act.

58 Conversion of access licence to new category

- (1) This clause relates to dealings under section 71O of the Act in these water sources.
- (2) Dealings under section 71O of the Act are prohibited.

59 Assignment of rights dealings (within water sources)

- (1) This clause relates to dealings under section 71Q of the Act in these water sources.
- (2) Dealings under section 71Q of the Act are prohibited if the dealing involves an assignment of rights:
 - (a) to an access licence that nominates a water supply work being used to take water from a lagoon listed in Schedule 4 or 5,
 - (b) from an access licence with an extraction component that specifies the Gwydir River Management Zone in the Upper Gwydir River Water Source to an access licence with an extraction component that specifies the Upper Gwydir River Tributaries Management Zone in the Upper Gwydir River Water Source,
 - (c) from an access licence with an extraction component that specifies a management zone in the Moredun Creek Water Source to an access licence with an extraction component that specifies another management zone in the Moredun Creek Water Source,
 - (d) from an access licence with an extraction component that specifies a management zone in the Copeton Dam Water Source to an access licence with an extraction component that specifies another management zone in the

Copeton Dam Water Source,

- (e) from an access licence with an extraction component that specifies a management zone in the Mehi River Water Source to an access licence that specifies the another management zone in the Mehi River Water Source,
- (f) from an access licence with an extraction component that specifies the Lower Big Leather Management Zone or the Lower Gwydir Anabranched Management Zone in the Gwydir Water Source to an access licence that specifies the Upper Big Leather Management Zone in the Gwydir Water Source,
- (g) from an access licence with an extraction component that specifies the Upper Big Leather Management Zone or the Lower Gwydir Anabranched Management Zone in the Gwydir Water Source to an access licence that specifies the Lower Big Leather Management Zone in the Gwydir Water Source,
- (h) from an access licence with an extraction component that specifies the Lower Big Leather Management Zone in the Gwydir Water Source to an access licence that specifies the Lower Gwydir Anabranched Management Zone in the Gwydir Water Source, or
- (i) to an access licence with a share component that specifies one of the following water sources:
 - (i) Slaughterhouse Creek Water Source, or
 - (ii) Carole Creek Water Source.

60 Amendment of share component dealings (change of water source)

- (1) This clause relates to dealings under section 71R of the Act in these water sources.
- (2) Dealings under section 71R of the Act are prohibited in these water sources.

61 Amendment of extraction component dealings

- (1) This clause relates to dealings under section 71S of the Act in these water sources.
- (2) Dealings under section 71S of the Act are prohibited if the dealing involves:
 - (a) an access licence being varied to specify a lagoon listed in Schedule 4 or 5,
 - (b) an access licence with an extraction component that specifies the Gwydir River Management Zone in the Upper Gwydir River Water Source being varied to

specify the Upper Gwydir River Tributaries Management Zone in the Upper Gwydir River Water Source,

- (c) an access licence with an extraction component that specifies a management zone in the Moredun Creek Water Source being varied to specify another management zone in the Moredun Creek Water Source,
- (d) an access licence with an extraction component that specifies a management zone in the Copeton Dam Water Source being varied to specify another management zone in the Copeton Dam Water Source,
- (e) an access licence with an extraction component that specifies a management zone in the Mehi River Water Source being varied to specify another management zone in the Mehi River Water Source,
- (f) an access licence with an extraction component that specifies the Lower Big Leather Management Zone or the Lower Gwydir Anabranh Management Zone in the Gwydir Water Source being varied to specify the Upper Big Leather Management Zone in the Gwydir Water Source,
- (g) an access licence with an extraction component that specifies the Upper Big Leather Management Zone or the Lower Gwydir Anabranh Management Zone in the Gwydir Water Source being varied to specify the Lower Big Leather Management Zone in the Gwydir Water Source,
- (h) an access licence with an extraction component that specifies the Lower Big Leather Management Zone in the Gwydir Water Source being varied to specify the Lower Gwydir Anabranh in the Gwydir Water Source, or
- (i) an access licence with a share component that specifies one of the following water sources:
 - (i) Slaughterhouse Creek Water Source, or
 - (ii) Carole Creek Water Source.

62 Assignment of water allocations dealings

- (1) This clause relates to dealings under section 71T of the Act in these water sources.
- (2) Dealings within a water source under section 71T of the Act are prohibited if the dealing involves an assignment of water allocation:

- (a) to an access licence that nominates of a water supply work being used to take water from a lagoon listed in Schedule 4 or 5,
- (b) from an access licence with an extraction component that specifies the Gwydir River Management Zone in the Upper Gwydir River Water Source to an access licence with an extraction component that specifies the Upper Gwydir River Tributaries Management Zone in the Upper Gwydir River Water Source,
- (c) from an access licence with an extraction component that specifies a management zone in the Moredun Creek Water Source to an access licence with an extraction component that specifies another management zone in the Moredun Creek Water Source,
- (d) from an access licence with an extraction component that specifies a management zone in the Copeton Dam Water Source to an access licence with an extraction component that specifies another management zone in the Copeton Dam Water Source,
- (e) from an access licence with an extraction component that specifies a management zone in the Mehi River Water Source to an access licence with an extraction component that specifies another management zone in the Mehi River Water Source,
- (f) from an access licence with an extraction component that specifies the Lower Big Leather Management Zone or the Lower Gwydir Anabranh Management Zone in the Gwydir Water Source to an access licence with an extraction component that specifies the Upper Big Leather Management Zone in the Gwydir Water Source,
- (g) from an access licence with an extraction component that specifies the Upper Big Leather Management Zone or the Lower Gwydir Anabranh Management Zone in the Gwydir Water Source to an access licence with an extraction component that specifies the Lower Big Leather Management Zone in the Gwydir Water Source,
- (h) from an access licence with an extraction component that specifies the Lower Big Leather Management Zone in the Gwydir Water Source to an access licence with an extraction component that specifies the Lower Gwydir Anabranh in the Gwydir Water Source, or
- (i) an access licence with an share component that specifies one of the following

water sources:

- (i) Slaughterhouse Creek Water Source, or
 - (ii) Carole Creek Water Source.
- (3) Dealings between water sources under section 71T of the Act are prohibited.

63 Interstate transfer of access licences and assignment of water allocation

- (1) This clause relates to dealings under section 71U or 71V of the Act in these water sources.
- (2) Dealings involving the interstate transfer of an access licence to or from these water sources are prohibited.
- (3) Dealings involving the interstate assignment of water allocations to or from access licences in these water sources are prohibited.

64 Nomination of water supply works dealings

- (1) This clause relates to dealings under section 71W of the Act in these water sources.
- (2) Dealings under section 71W of the Act are prohibited if the dealing involves:
- (a) an access licence which does not nominate a water supply work located within a lagoon listed in Schedule 4 or 5 being amended to nominate a water supply work located within a pool, lagoon or lake listed in Schedule 4 or 5,
 - (b) an access licence which nominates a water supply work located within a pool, lagoon or lake listed in Schedule 4 or 5 being amended to nominate a water supply work located within another lagoon listed in Schedule 4 or 5,
 - (c) an access licence which nominates a water supply work located in the Gwydir River Management Zone in the Upper Gwydir River Water Source being amended to nominate a water supply work located in the Upper Gwydir River Tributaries Management Zone in the Upper Gwydir River Water Source,
 - (d) an access licence which nominates a water supply work located in a management zone in the Moredun Creek Water Source being amended to nominate a water supply work located in another management zone in the Moredun Creek Water Source,

- (e) an access licence which nominates a water supply work located in a management zone in the Copeton Dam Water Source being amended to nominate a water supply work located in another management zone in the Copeton Dam Water Source,
- (f) an access licence which nominates a water supply work located in a management zone in the Mehi River Water Source being amended to nominate a water supply work located in another management zone in the Mehi River Water Source,
- (g) an access licence which nominates a water supply work located in the Lower Big Leather Management Zone or the Lower Gwydir Anabranche Management Zone in the Gwydir Water Source being amended to nominate a water supply work located in the Upper Big Leather Management Zone in the Gwydir Water Source,
- (h) an access licence which nominates a water supply work located in the Upper Big Leather Management Zone or the Lower Gwydir Anabranche Management Zone in the Gwydir Water Source being amended to nominate a water supply work located in the Lower Big Leather Management Zone in the Gwydir Water Source,
- (i) an access licence which nominates a water supply work located in the Lower Big Leather Management Zone in the Gwydir Water Source being amended to nominate a water supply work located in the Lower Gwydir Anabranche Management Zone in the Gwydir Water Source, or
- (j) an access licence which nominates a water supply work located in one of the following water sources:
 - (i) Slaughterhouse Creek Water Source, or
 - (ii) Carole Creek Water Source.

Part 11 Mandatory conditions

Division 1 General

65 General

In this Part:

- (a) a requirement to notify the Minister in writing is satisfied by making a notification in writing to one of the addresses listed in Appendix 2 of this Plan or to the email address for the NSW Office of Water Licensing Enquiries Information Centre,

Note. At the commencement of this Plan, the email address for the NSW Office of Water Licensing Enquiries Information Centre is information@water.nsw.gov.au.

- (b) a ***metered water supply work with a data logger*** means a water supply work with a data logger and a meter that complies with the *ATS 4747 Australian Technical Specification: Meters for non-urban water supply* as may be updated and replaced from time to time, and

Note. The definition of ***metered water supply work with a data logger*** does not include all water supply works that are metered or that have a data logger. The water supply work must meet the parameters of this definition for the water supply work to be a ***metered water supply work with a data logger***.

- (c) if the holder of a water supply work approval is the same as the holder of the access licence under which water is proposed to be taken, then it is not necessary to maintain two separate Logbooks and all their required information can be kept in one Logbook.

Division 2 Access licences

Note. This Division is made in accordance with sections 17 (c), 20 and 66 of the Act.

66 General

- (1) Access licences in these water sources must have mandatory conditions where required to give effect to the following:
- (a) the relevant water allocation account management rules specified in Division 1 of Part 8 of this Plan for the respective category or subcategory of access licence,
- (b) water must not be taken under an access licence otherwise than in compliance with the conditions applying to the water supply work approval for the water supply work through which water is to be taken,

- (c) the holder of an access licence must notify the Minister, in writing, immediately upon becoming aware of a breach of any condition of the licence, and
 - (d) any other condition required to implement the provisions of this Plan.
- (2) Access licences in these water sources, excluding access licences that nominate only metered water supply works with a data logger, must have mandatory conditions where required to give effect to the following:
- (a) the holder of an access licence must keep a Logbook,
 - (b) the holder of an access licence must record the following in the Logbook:
 - (i) each date and period of time during which water was taken under the access licence,
 - (ii) the volume of water taken on that date,
 - (iii) the water supply work approval number of the water supply work used to take the water on that date,
 - (iv) the purpose or purposes for which the water was taken on that date,
 - (v) for domestic and stock access licences, local water utility access licences and unregulated river access licences in the Gwydir Unregulated Water Sources, the volume of water taken in the first three water years in which this Plan has effect, by comparison to the maximum volume of water permitted to be taken in those years under clause 40 (1),
 - (vi) for domestic and stock access licences, local water utility access licences and unregulated river access licences in the Gwydir Unregulated Water Sources, the volume of water taken in any three consecutive water years after the first water year in which this Plan has effect, by comparison to the maximum volume of water permitted to be taken in those years under clause 40 (2),
 - (vii) for domestic and stock access licences, local water utility access licences and aquifer (high security) access licences in the Upper Gwydir Alluvial Groundwater Source, the volume of water taken in any water year in which this Plan has effect, by comparison to the maximum volume of water permitted to be taken in that water year under clause 41 (2), and

- (viii) any other information required to be recorded in the Logbook under the rules of this Plan,
 - (c) the holder of an access licence must produce the Logbook to an officer of the NSW Office of Water for inspection, when requested, and
 - (d) the holder of an access licence must retain the information required to be recorded in the Logbook for 5 years from the date to which that information relates.
- (3) When directed by the Minister by notice in writing, the holder of an access licence that nominates only a metered water supply work with a data logger must keep a Logbook in accordance with any requirements from subclause (2) that are specified in the notice.
- (4) All access licences of the subcategory “Aboriginal cultural” must have a mandatory condition that specifies that water must only be taken under the access licence by Aboriginal persons or Aboriginal communities for personal, domestic or communal purposes, including drinking, food preparation, washing, manufacturing traditional artefacts, watering domestic gardens, cultural teaching, hunting, fishing, gathering and for recreational, cultural and ceremonial purposes.
- (5) An access licence for a project under Part 3A of the *Environmental Planning and Assessment Act 1979* must have mandatory conditions where required to give effect to the relevant access rules for the taking of water specified in Division 2 of Part 8 of this Plan.

Division 3 Water supply work approvals

Note. This Division is made in accordance with sections 17 (c) and 100 of the Act.

67 General

- (1) Water supply work approvals for water supply works in these water sources must have mandatory conditions where required to give effect to the following:
- (a) the water supply work must not be used to take water under an access licence unless in compliance with the relevant access rules for the taking of water as specified in Division 2 of Part 8 of this Plan,
 - (b) when directed by the Minister by notice in writing, the approval holder must have metering equipment installed that meets the following requirements:

- (i) the metering equipment must accurately measure and record the flow of all water taken through the water supply work,
- (ii) the metering equipment must comply with the *NSW Interim Water Meter Standards* (NSW Office of Water) as may be updated or replaced from time to time,
- (iii) the metering equipment must be operated and maintained in a proper and efficient manner at all times,
- (iv) the metering equipment must be sited and installed at a place in the pipe, channel or conduit between the water source and the first discharge outlet. There must be no flow of water in to or out of the pipe, channel or conduit between the water source and the metering equipment, and
- (v) any other requirements as to type, standard or other criteria for the metering equipment specified in the notice,

Note. The Minister may direct a landholder or person to install, replace or to properly maintain metering equipment under section 326 of the Act.

- (c) any other conditions required to implement the provisions of this Plan.
- (2) Water supply work approvals for water supply works in these water sources, excluding water supply work approvals for metered water supply works with a data logger, must have mandatory conditions where required to give effect to the following:
- (a) the holder of a water supply work approval must keep a Logbook,
 - (b) the holder of a water supply work approval must record the following in the Logbook:
 - (i) each date and period of time during which water was taken using the water supply work,
 - (ii) the volume of water taken on that date,
 - (iii) the access licence number of the access licence under which water was taken on that date or if water was taken under some other authority (such as basic landholder rights), the authority under which water was taken,
 - (iv) the purpose or purposes for which the water was taken on that date,

- (v) details of any cropping carried out using the water taken through the water supply work including the type of crop, area cropped and dates of planting and harvesting,
 - (vi) where metering equipment has been installed for use in connection with the water supply work, the meter reading before water is taken,
 - (vii) where metering equipment has not been installed for use in connection with the water supply work, details of all pumping activities for the water supply work including pump running hours, pump power usage or pump fuel usage, pump start and stop times and pump capacity per unit of time, and
 - (viii) any other information required to be recorded in the Logbook under the rules of this Plan,
- (c) the holder of a water supply work approval must produce the Logbook to the Minister for inspection, when requested, and
 - (d) the holder of a water supply work approval must retain the information required to be recorded in the Logbook for 5 years from the date to which that information relates.
- (3) All water supply works except those authorising water supply works taking water from the Upper Gwydir Alluvial Groundwater Source must contain mandatory conditions to require that the water supply work must not be used to take water unless, before water is taken, the holder of the water supply work approval confirms that cease to take conditions do not apply. Where the holder is required to keep a Logbook, the holder must record that confirmation, and the means of confirmation and the means of confirmation (such as visual inspection or internet search), in the Logbook. In this paragraph *cease to take conditions* means any condition on the water supply work approval or on the access licence under which water is proposed to be taken, that prohibits the taking of water in a particular circumstance.
- (4) Water supply work approvals for runoff harvesting dams and in-river dams must have a mandatory condition where required to give effect to clause 48 (1).
- (5) A water supply work approval for a replacement groundwater work must have mandatory conditions to give effect to the requirements for a replacement groundwater work specified in or specified by the Minister in accordance with clause 51.

68 Water supply works used to take water from the Upper Gwydir Alluvial Groundwater Source

- (1) This clause applies to all water supply work approvals for water supply works that may be used to take water from the Upper Gwydir Alluvial Groundwater Source.
- (2) Water supply work approvals to which this clause applies must have mandatory conditions where required to give effect to the following:
 - (a) the rules for limiting the taking of water within the distance restrictions as specified in clause 56,
 - (b) the approval holder must ensure the water supply work is constructed so as to be:
 - (i) screened in the groundwater nominated by the access licence, and
 - (ii) sealed off from all other water sources to the Minister's satisfaction,
 - (c) the construction of a new water supply work must:
 - (i) comply with the distance restrictions specified in or specified by the Minister in accordance with in clauses 52–55,

Note. If the water supply work has been exempted by the Minister from one or more distance restrictions specified in Division 2 of Part 9 of this Plan, then the approval holder must be able to demonstrate the basis for that exemption, for example if the exemption refers to a hydrogeological study which demonstrates that the location of the water supply work will have no more than minimal impact to the satisfaction of the Minister, then evidence must be able to be provided to that effect.
 - (ii) comply with the construction standards prescribed for the relevant type of bore in the *Minimum Construction Requirements for Water Bores in Australia*, 2003, ISBN 1 9209 2009 9, as may be amended from time to time or any standards which supersede those standards, and
 - (iii) be constructed appropriately so as to prevent contamination between the aquifers,
 - (d) the approval holder must ensure that if the water supply work is abandoned or replaced, it is decommissioned in compliance with the “minimum requirements for decommissioning bores” prescribed in the *Minimum Construction Requirements for Water Bores in Australia*, 2003, ISBN 1 9209 2009 9, as amended or replaced from time to time, unless otherwise directed by the

Minister in writing,

- (e) within two months of the decommissioning of the water supply work, the approval holder must notify the Minister in writing that the water supply work has been decommissioned,
- (f) the approval holder must, within two months of completion of the construction of the water supply work or within two months after the issue of the approval if the water supply work is existing, submit to the NSW Office of Water the approved form completed with all relevant details, including:
 - (i) the name and licence number of the driller who constructed the water supply work,
 - (ii) the details of geology and construction as required by the approved form,
 - (iii) details of the location of the water supply work on a copy of the lot and deposited plan, its geographical reference accurate to ± 5 metres and the respective distance(s) of the water supply work from the property boundaries, and
 - (iv) if the Minister has requested any water analysis and/or pumping tests to be carried out, details of the water analysis and/or pumping tests required by the Minister,
- (g) if, during the construction of the water supply work, saline or contaminated water is encountered above the production aquifer, the approval holder must:
 - (i) notify the Minister within 48 hours of becoming aware of the contaminated water,
 - (ii) take all reasonable steps to minimise contamination and environmental harm,
 - (iii) ensure that such water is sealed off by inserting casing to a depth sufficient to exclude the saline or contaminated water from the water supply work and if specified by the Minister, place an impermeable seal between the casing(s) and the walls of the water supply work from the bottom of the casing to ground level as specified by the Minister, and
 - (iv) if the Minister has specified any other requirements, comply with any requirements specified by the Minister in writing,

- (h) when directed by the Minister by notice in writing, the approval holder must provide a report in the form specified in the notice detailing the quality of any water obtained using the water supply work,
 - (i) the water supply work approval will lapse if the construction of the water supply work is not completed within three years of the issue of the water supply work approval, and
 - (j) any other conditions required to implement the provisions of this Plan.
- (3) A water supply work approval granted under clause 52 (2) (d), must have a mandatory condition to give effect to clause 52 (4).

Note. Part 12 of this Plan allows for amendments to be made to clause 68.

Part 12 Amendment of this Plan

69 General

- (1) Amendments specified throughout this Plan and in this Part, are amendments authorised by this Plan.
- (2) Where an amendment is authorised by this Plan, that authorisation includes any consequential amendments required to be made to this Plan to give effect to that particular amendment.

Note. For example, if Part 1 is amended to add a new management zone, this may require amendment to other parts of this Plan to include rules for that management zone.

- (3) An amendment authorised by this Plan which results in a variation of the bulk access regime, is an amendment authorised by this Plan for the purposes of sections 87 (2) (c) and 87AA of the Act.

70 Part 1

Part 1 may be amended to do any of the following:

- (a) apply this Plan to new or additional water sources or water management areas (including part thereof) or to modify (including to amend the boundaries included in this Plan) or remove an existing water source or water management area (including part thereof),
- (b) add, remove or modify a management zone, including the water sources to which a management zone applies and the boundaries of such a zone,
- (c) add, remove or modify an extraction management unit, including the water sources to which an extraction management unit applies, and
- (d) amend the Registered Map.

71 Part 4

Part 4 may be amended to vary the amount of recharge reserved as planned environmental water as a result of recharge studies undertaken or assessed as adequate by the Minister.

72 Part 8

Division 2 of Part 8 of this Plan may be amended to do any of the following:

- (a) establish a new flow class or flow classes in any water source where management zones are added or in any water source or management zone that is amended, during the term of this Plan as specified in clause 70,
- (b) amend clause 44:
 - (i) subclause (1) in relation to the exclusion of aquifer interference approvals,
 - (ii) to specify alternate access rules for lagoons, lakes, in-river pools and other lentic water bodies, or
 - (iii) to extend the exemption to the cease to take conditions for stock watering purposes specified in clause 44 (11) (c) beyond year five of this Plan and/or modify the volume of water permitted to be taken for stock watering purposes after year five of this Plan,
- (c) establish or assign new TDELS in these water sources or management zones following the imposition of an adaptive environmental water condition on an access licence that requires the water to be left in the water source or management zone for environmental purposes,
- (d) establish or assign new TDELS in these water sources or management zones to protect a proportion of flow within each flow class for the environment,
- (e) amend or remove TDELS if TDELS have been established or assigned under paragraphs (c) and/or (d),
- (f) include rules for the establishment, assignment and removal of IDELS,
- (g) amend clause 44 to remove the existing access rules where TDELS and/or IDELS have been established under paragraphs (d) and/or (f) to protect a proportion of flow within each flow class for the environment, or
- (h) amend clause 44 to reinstate access rules that applied at the commencement of this Plan, where TDELS and IDELS have been removed under paragraphs (f) and (g).

73 Part 9

Part 9 may be amended to do any of the following:

- (a) amend clause 48 to specify water sources or management zones where water supply work approvals must not be granted or amended to authorise an in-river dam on third order or higher streams,
- (b) amend the definition of a replacement groundwater work in clause 51 (2),
- (c) add, remove or modify a restricted distance specified in:
 - (i) clause 52 after year 5 of this Plan, or
 - (ii) clause 54 based on the outcomes of further studies of groundwater dependent ecosystems that have been assessed as adequate by the Minister, and
- (d) amend clause 56 to impose further restrictions on the rate and timing of extraction of water from the respective water source to mitigate impacts.

74 Part 11

Part 11 may be amended to do any of the following:

- (a) amend the rules in relation to record keeping including amendments in relation to requirements for Logbooks, or
- (b) amend clause 68 to specify different standards for decommissioning water supply works or construction requirements for water supply works.

75 Schedules

- (1) Schedule 1 may be amended to remove or add sections of watercourses that are to be excluded from this Plan.
- (2) Schedule 2 may be amended to add, modify and/or remove a definition.
- (3) Schedule 3 may be amended to do any of the following:
 - (a) add a new access licence to clause 1 of Schedule 3, provided that a written request has been made to the Minister and the Minister is satisfied that extraction under the access licence is for a purpose listed in clause 44 (11) (a) and that purpose was specified on, or referred to in the conditions of, the former

Water Act 1912 entitlement that was replaced by the access licence or referred to in its conditions,

- (b) add a local water utility access licence or an unregulated river (subcategory “town water supply”) access licence to clause 2 of Schedule 3, provided the Minister is satisfied that the water supply system used to take, store and deliver water has not undergone major augmentation since the commencement of this Plan,
 - (c) remove an access licence or a former *Water Act 1912* entitlement from Schedule 3 if:
 - (i) an access licence dealing results in water being taken under the licence being taken from a different location,
 - (ii) an alternative water supply is obtained,
 - (iii) the licence is surrendered or cancelled or its purpose ceases to exist, or
 - (d) remove a local water utility access licence or an unregulated river (subcategory “town water supply”) access licence or former *Water Act 1912* entitlement from clause 2 of Schedule 3 if the Minister is satisfied that the water supply system used to extract, store and deliver water has undergone major augmentation since the commencement of this Plan.
- (4) Schedule 3 may be deleted if the Minister is satisfied that it is no longer required.
- (5) Schedules 4 and 5 may be amended to add or remove a pool, lagoon or lake.
- (6) Schedule 6 may be amended to add or remove a contamination source.
- (7) Schedule 7 may be amended to:
- (a) add or remove a sensitive environmental area, or
 - (b) add a new high priority groundwater dependent ecosystem after year 5 of this Plan or to remove a high priority groundwater dependent ecosystem.

76 Other

- (1) This Plan may be amended to provide rules for the following:
 - (a) managed aquifer recharge,

Note. Managed aquifer recharge schemes involve taking water such as recycled water or urban stormwater, treating it and then storing it in underground aquifers under controlled conditions. This water can be extracted at a later time.

- (b) the management of floodplain harvesting within these water sources,
 - (c) the shepherding of water,
 - (d) any new category of access licence established for the purpose of stormwater harvesting, provided that the amendments do not affect the long-term average annual extraction limit specified in this Plan, or
 - (e) the interception of water before it reaches a stream or aquifer by plantations or other means.
- (2) Consequential amendments may be made to this Plan as a result of an amendment to the Act or regulations.
- (3) This Plan may be amended following the granting of a native title claim pursuant to the provisions of the *Native Title Act 1993* (Cth) to give effect to an entitlement granted under that claim.
- (4) This Plan may be amended after Year 5 to provide rules for the protection of water dependent Aboriginal cultural assets, including:
- (a) the identification of water dependent Aboriginal cultural assets in a schedule,
 - (b) amending the access rules to protect water dependent Aboriginal cultural assets,
 - (c) restricting the granting and amendment of water supply works to protect water dependent Aboriginal cultural assets, and/or
 - (d) amending the dealing rules to protect water dependent Aboriginal cultural assets.

Schedule 1 Sections of water courses to which this Plan does not apply

| Column 1 Water course | Column 2 Column B |
|--|---|
| Collymongle Lagoon | The section from the junction with Gnungarah Creek (SE corner of lot 32, DP 750445) to the junction with the unregulated Gwydir River (NW corner of lot 17, DP 750445). |
| Gnungarah Creek | The section from the junction with Barwon River (northern most point of lot 61, DP 727897) to the junction with Collymongle Lagoon (SE corner of lot 32, DP 750445). |
| Gwydir River | The section from the junction with Collymongle Lagoon (NW corner of lot 17, DP 750445) to the junction with Ballone River. |
| Thalaba Creek | The section from the junction with Pagan Creek to the junction with the second crossing with a public road within lot 2 DP 752231, between Ivanhoe crossing Rd and Mercadool Rd |
| Unnamed water source | The section within lot 65, DP 827166 and Lot 20, DP 750445, Parish of Collymongle, County of Benarba |
| Unnamed water source | The section within lots 20, 53, 54, 60, DP 752263, Parish of Pokataroo, County of Denham |

Schedule 2 Dictionary

Aboriginal person has the same meaning as under section 4 of the *Aboriginal Land Rights Act 1983*.

alluvial sediments means unconsolidated fluvio-lacustrine sediments.

drawdown means a lowering of the level to which water will rise in cased bores. Natural drawdown may occur due to seasonal climatic changes. Groundwater pumping may also result in seasonal and long-term drawdown.

fractured rock means sedimentary, igneous and metamorphic rocks with fractures, joints, bedding planes and cavities in the rock mass that are capable of transmitting water.

full containment volume means the volume of water that is impounded in a pool, lagoon or lake when the level of water in the pool, lagoon or lake is at the high water mark.

grazeable area means, for an individual landholding, the area of pasture in hectares for a pasture type that is accessible for stock grazing and able to grow appropriate vegetation for stock grazing, but does not include impervious surfaces (such as rocks or rocky terrain, man-made structures, mines or quarries) or other such surfaces that do not support grazing vegetation, such as water bodies and forested floors with no undergrowth.

groundwater dependent ecosystems includes ecosystems which have their species composition and natural ecological processes wholly or partially determined by groundwater.

individual daily extraction limit (IDEL) is the volume of water that may be extracted by an individual access licence from an unregulated river on a daily basis from a particular flow class.

in-river dam means a dam located in a river.

in-river dam pool means the area of water immediately upstream of an in-river dam where the river has pooled as a result of an in-river dam.

Logbook, in relation to an access licence or water supply work approval, means a written record, kept in hard copy or electronic form, which accurately records, all information required to be kept in relation to the access licence or water supply work approval under the rules of this Plan.

management zone is an area within a water source in which rules particular to that management zone will apply, for example daily extraction limits and restrictions on dealings.

porous rock means consolidated sedimentary rock containing voids, pores or other openings (such as joints, cleats and/or fractures) which are interconnected, in the rock mass and are capable of transmitting water.

Registered Map for these water sources has the same meaning as in clause 4 (2) of this Plan.

replacement groundwater work has the same meaning as in clause 51 (2) of this Plan.

runoff harvesting dam is a dam on a hillside or minor stream which collects and stores rainfall runoff. Minor streams are as defined in an order made under section 53 of the Act. For the purposes of this Plan, references to runoff harvesting dams as water supply works include any associated pumps or other works which take water from the dam. For the purpose of clarity, this definition includes dams that are also used to store water diverted into the dam from a river or other source of water.

shepherding means the delivery of a calculated volume of water that was created by the non-activation/reduced extraction at a nominated licence location to a more downstream location, after consideration of losses, where it will be made available for extraction or use for the environment.

slotted intervals means that part of the water bore where slots in the casing occur which are designed to allow water to enter the bore.

stream order means the stream order defined by the Strahler stream ordering method.

Note. The Strahler stream ordering method is as described in the Order made under section 5 of the *Water Act 1912* published in the NSW Government Gazette No 37 on 24 March 2006 page 1500 or as may be amended or updated from time to time by further order.

total daily extraction limit (TDEL) is the volume of water that may be extracted under access licences from an unregulated river on a daily basis from a particular flow class.

visible flow means the continuous downstream movement of water that is perceptible to the eye.

Water Act 1912 entitlement has the same meaning as an entitlement has in clause 2 of Schedule 10 to the Act.

water storage means the water body impounded by a dam, weir or other structure, which is used to regulate and manage river flows in this water source.

water year means a year commencing 1 July.

Schedule 3 Access licences used to take surface water exempt from cease to pump rules

1 General

This clause applies to each access licence which replaces a *Water Act 1912* entitlement listed in the table below.

| <i>Water Act 1912</i> entitlements that will be replaced by access licences on commencement of this Plan |
|---|
| 90SL100697 |
| 90SL045781 |
| 90SL023654 |

2 Local water utility and unregulated river (subcategory “town water supply”) access licences

This clause applies to each access licence which replaces a *Water Act 1912* entitlement listed in the table below.

| <i>Water Act 1912</i> entitlements that will be replaced by local water utility access licences or unregulated river (subcategory “town water supply”) access licences on commencement of this Plan |
|--|
| 90SL019920 |
| 90SL044305 |
| 90SL021318 |

Schedule 4 Significant Identified Lagoons and Wetlands

| Column 1 | Column 2 | Column 3 | Column 4 |
|---------------------|-----------------------|--|-----------------|
| Water Source | Name of Lagoon | Location | Parish |
| Barwon | Unnamed Lagoon | Portion 2 in DP750421 & Lot 4 DP750421 | Banarway |
| Barwon | Unnamed Lagoon | Lot 15 DP45246 | Banarway |
| Barwon | Unnamed Lagoon | Lot 2 DP750421 | Banarway |
| Barwon | Unnamed Lagoon | Primarily Lot 15 DP752231 | Barwon |
| Barwon | Unnamed Lagoon | Crown Land Lot 7002 DP1050328 | Barwon |
| Barwon | Unnamed Lagoon | Lot 16 DP705383 & Lot 21 DP750441 | Caidmurra |
| Barwon | Butti Lagoon | Lot 58 DP45315 | Collymongle |
| Barwon | Unnamed Lagoon | Lot 58 DP45315 | Collymongle |
| Barwon | Unnamed Lagoon | Portion 2 in DP750474 and adjacent Crown Land | Keelo |
| Barwon | Unnamed Lagoon | Crown Land parcel 7002 DP1051873 | Murkadool |
| Barwon | Unnamed Lagoon | Crown Land parcels 7001 & 7002 DP1051873 | Murkadool |
| Barwon | Unnamed Lagoon | Lot 24 DP752256 | Murkadool |
| Barwon | Unnamed Lagoon | Crown Land parcel 7002 DP1051873 | Murkadool |
| Gil Gil Creek | Unnamed Lagoon | Lot 3 DP43358 & Lot 16 DP750441 | Caidmurra |
| Gil Gil Creek | Unnamed Lagoon | Lot 24 DP750441 | Caidmurra |
| Moree | Yarraman Lagoon | Lots 1 & 2 in DP 632672 and Lot 2 in DP 629669 | Mia Mia |

| Column 1 | Column 2 | Column 3 | Column 4 |
|---------------------|------------------------|--|-----------------|
| Water Source | Name of Lagoon | Location | Parish |
| Moree | Unnamed Lagoon | Lot 7085 in DP 1066044 | Moree |
| Thalaba Creek | Collytootela Lagoon | Lots 7, 12, 15 & 17 in DP 750494 | Oreel |
| Slaughterhouse | Moboullboona Waterhole | Lot 14 DP 751750 | Biniguy |
| Slaughterhouse | Emmotts Waterhole | Lot 1 DP 596939 | Biniguy |
| Slaughterhouse | Barbers Lagoon | Lot 2 DP795771; Lot 18 DP751138; Lot 95 DP41022 | Yagobe |
| Mehi River | Mallowa Wetlands | Lot 11 DP750477, Lot 10 DP750477, Lot 12 DP750477, Lot 20, DP750477, Lot 22 DP750477, Lot 4 DP750477, Lot 19 DP750477, Lot 14 DP750477, | Mallowa |
| Mehi River | Mallowa Wetlands | Lot 1 DP1121419, Lot 5 DP750483, Lot 24 DP750483, Lot 7001 DP1112488, Lot 8 DP750483, Lot 26 DP750483, Lot 23 DP750483, Lot 7006 DP1112098, Lot 7007 DP 1112098, Lot 7002 DP1112488, Lot 2 DP750483, Lot 28 DP750483 | Mongyer |
| Mehi River | Mallowa Wetlands | Lot 24 DP45251, Lot 1 DP48429, Lot 26 DP721442, Lot 10 DP750442, Lot 25 DP45251, Lot 27 DP721442 | Carbeenbri |
| Gwydir | Ramsar wetlands | Lot 4 DP793888, Lot 36 DP750508 | Wandoona |
| Gwydir | Ramsar Wetlands | Lot 58 DP750500 | Tiela |
| Gingham Watercourse | Ramsar wetlands | Lot 26 DP 750465, Lot 14 DP750465 | Gingham |
| Gingham Watercourse | Ramsar wetlands | Lot 9 DP750444 | Collyu |
| Gingham Watercourse | Ramsar wetlands | Lot 8 DP750461 | Dundunga |
| Gingham Watercourse | Ramsar wetlands | Lot 39 DP705409, Lot 19 DP750451 | Crinoline |

| Column 1 | Column 2 | Column 3 | Column 4 |
|---------------------|-----------------------|-----------------|-----------------|
| Water Source | Name of Lagoon | Location | Parish |
| Gingham Watercourse | Ramsar wetlands | Lot 8 DP750444 | Collyu |

Schedule 5 Upland Wetlands of the Drainage Divide of the New England Tablelands Bioregion Endangered Ecological Community.

| Column 1 | Column 2 | Column 3 | Column 4 |
|---------------------|------------------------|--|-----------------|
| Water Source | Name of Lagoon | Location | Parish |
| Boorolong Creek | Little Lagoon | Lots 126, 128, 129, 205 in DP 755823 | Exmouth |
| Laura Creek | Mother of Ducks Lagoon | 309, 311, 343, 344 DP753659; 358, 359 DP46361; 363, 364 DP704039, 361 DP704011; 350 DP39608 & others | Elderbury |
| Rocky River | Racecourse Lagoon | Crown Land | Uralla |
| Rocky River | Dangars Lagoon | Lot 7009 DP 1051118 | Uralla |
| Keera Creek | Howle's Swamp | | |

Schedule 6 Contamination in these water sources


Contamination in these water sources is the following:

- (a) on site sewage disposal systems or septic tanks;
- (b) any sites which have been declared to be significantly contaminated land under the *Contaminated Land Management Act 1997*;
- (c) any sites with a historical use that is listed in Table 1 of *Managing Land Contamination. Planning Guidelines SEPP 55 – Remediation of Land*; and
- (d) any sites listed in an agency database relating to contamination.

Schedule 7 High priority groundwater dependent ecosystems

Note. High priority groundwater dependent ecosystems (hereafter GDEs) are currently under investigation and some of these may be identified during the term of this Plan. The full list of potential GDEs will be identified on the NSW Office of Water GDE Register and as a precautionary approach, will be considered by staff in the assessment of any application for a water supply work approval within the area of this Plan. If verified as high priority GDEs, the Schedule will be amended to include further GDEs.

Appendix 1 Overview of the Registered Map



Appendix 2 Inspection of Registered Map

Copies of the Registered Map may be inspected at the following offices:

NSW Office of Water
10 Valentine Ave
PARRAMATTA NSW 2150

NSW Office of Water
66-68 Frome St
MOREE NSW 2400

NSW Office of Water
Trevenna Road, University of New England
ARMIDALE NSW 2351

NSW Office of Water
7023 Gwydir Hwy
INVERELL NSW 2360

Appendix 3 Access licences with pre-existing cease to pump thresholds that are higher than the upper limit of the relevant cease to take conditions

It is expected that those access licences which replace a *Water Act 1912* entitlement listed in Column 1 of the table below and which have a share component that specifies the water sources listed in Column 2 of the table below, will have the access rule specified in Column 3 imposed as a mandatory condition on all water supply work approvals nominated by that access licence to give effect to clause 44 (7) of this Plan.

| Column 1 <i>Water Act 1912</i> entitlements that will be replaced by access licences on commencement of this Plan | Column 2 Water Source | Column 3 Access rules |
|---|-------------------------------------|-------------------------------------|
| | | |

Drafting note.

The NSW Office of Water is currently in the process of identifying *Water Act 1912* entitlements that have cease to pump thresholds that are higher than the upper limit of the relevant cease to take conditions in this Plan. It is intended that these entitlements will be listed in this Appendix at the commencement of this Plan.