

Report card for the Georges River Water Source

Water source context		River flows	
Area	15,036 hectares (94% forested)	Low flow index* (for November)	80th%ile = 13 ML/day (Source. Georges River gauge @ Big Hill (closed))
Average annual rainfall	1,158 mm	Flow records	22 years of data (1963 to 1985) from Georges River gauge @ Big Hill.
Inflowing water source	None	Stream type	Gaining
Receiving water source	Macleay Valley	* 80 per cent of the time average daily flow exceeds 13 ML/day and this represents low flows.	

Background information		
Water Source Attributes	Rating	Justification
Relative Instream Value (within catchment)	HIGH	<ul style="list-style-type: none"> - 6 threatened frog species. - 1 other threatened fauna species. - significant area of National Park.
Hydrologic Stress	LOW	- within water source = low (no licenses).
Risk to Instream Value (from extraction)	LOW	- instream values are at low risk of being impacted by extractions within the water source.
Relative Economic Significance of Irrigation (within catchment)	LOW	- no irrigation.
Upriver alluvial aquifer description		
<p>The upriver alluvial aquifer consists of medium to coarse grained sand, silts and gravel deposits. Groundwater from the aquifer is typically highly connected to the surface water. As a result of this connection, coupled with the coarser sediments, water quality is typically good with high yields potentially obtainable in some areas. Lower reaches of these freshwater systems have proven water resources such as the Kempsey town water supply bore field at Sherwood.</p>		
Groundwater Dependent Ecosystems	Nil.	
Licensed water entitlement		
Total surface water entitlement	Nil*.	
Licensed purpose	N/A.	
Total groundwater entitlement	0 ML/year**.	
Licensed purpose	N/A.	
Estimated at October 2012* and November 2013**		

Existing access arrangements during dry conditions	
Pumping restrictions	No existing access arrangements.
Cease to pump	No existing cease to pump.
Reference point	No existing reference point.
Water user association	None.

Recommendations

Draft access rules for surface waters	
Cease to pump	No visible flow at the reference point. Note: This rule applies to all extraction from rivers and creeks in this water source including natural in-river pools within the channels of rivers and creeks.
Reference point	Georges Creek Road Crossing.
Draft access rules for natural off-river pools	
Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.
Draft access rules for upriver alluvial aquifers	
Cease to pump	Nil. Note: A restriction on the establishment of new works in close proximity to the water course applies (refer to Rules for the granting of new water supply work approvals in the upriver alluvial aquifers below).
Reference point	Not required.
Note: Existing <i>Water Act 1912</i> licence conditions that are more stringent than these access rules will be carried forward.	
Note: These access rules do not apply to: <ul style="list-style-type: none"> - Local water utility access licences - Town water supply access licences - Stock and domestic licences for the first three years of the plan (provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day) - Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the <i>Water Management Act 2000</i>. 	
Distance rules	
Distance rules	Standard suite of rules (with the exception of the proposal below). Note. The standard set of distance rules that are designed to minimise the impact of extractions on other groundwater works, groundwater dependent ecosystems and groundwater dependent culturally significant sites apply. Exemptions to these rules (e.g. for replacement works) apply in specific circumstances.

Rules for the granting of new water supply work approvals	<p>A new water supply work (groundwater work) approval:</p> <ul style="list-style-type: none"> • may not be granted, or amended, to authorise the construction of a new work to take water within 40m of the high bank of any third order or greater stream, • may be granted or amended to authorise the construction of a new work to take water beyond 40m of the high bank of any third order or greater stream (new works would be subject to standard groundwater distance rules). <p>Note. The restriction on new works does not apply to water supply works being used for basic landholder right purposes.</p>
Draft trading rules for surface and alluvial ground waters	
INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.
Draft rules for granting access licences	
In-river dams	<p>Not Permitted.</p> <p>Note: Dams require a licence if they are located on a permanent (spring fed) first or second order stream, a third order (or greater) stream, or if they exceed the maximum harvestable right dam capacity for the property.</p>
Aboriginal community development	Not permitted due to the absence of a gauge
Conversion to high flows	Not permitted due to the absence of a gauge
Conversion to alluvial aquifer access licence	Permitted, subject to assessment.

Key factors for decisions

- High instream value, low hydrologic stress, low risk to instream value and low economic dependence.
- It is recommended that a cease to pump rule not apply to bores in the upriver alluvial after noting the absence of entitlement, the continued and expanded restriction on the establishment of new works in close proximity to streams, and the negligible risk to the water source from extraction.

Public exhibition

Feedback is particularly sought on the suitability of the proposed access and trading rules.

© State of New South Wales through the Department of Trade and Investment, Regional Infrastructure and Services 2014. You may copy, distribute and otherwise freely deal with this publication for any purpose, provided that you attribute the NSW Department of Primary Industries as the owner.

Disclaimer: The information contained in this publication is based on knowledge and understanding at the time of writing (October 2014). However, because of advances in knowledge, users are reminded of the need to ensure that information upon which they rely is up to date and to check currency of the information with the appropriate officer of the Department of Primary Industries or the user's independent adviser.

Published by the Department of Primary Industries, a division of NSW Department of Trade and Investment, Regional Infrastructure and Services.

Jobtrack 13078_RC16

Document prepared October 2014